# American Heart Journal

An international publication for the study of the circulation

GEORGE E. BURCH, M.D.

HARRY L. COLCOLOUGH, M.D. NICHOLAS P. DEPASQUALE, M.D. JOHN H. PHILLIPS, M.D. Assistant editors

1430 Tulane Avenue, New Orleans, La. 70112
The C. V. Mosby Company, 3207 Washington Blvd., St. Louis, Mo., 63103

## International editorial board

Walter H. Abelmann, Boston R. P. Ahlquist, Augusta Henry Barcroft, London D. V. Bates, Montreal Robert H. Bayley, Oklahoma City S. Gilbert Blount, Jr., Denver K. Braun, Jerusalem Daniel A. Brody, Memphis Lewis T. Bullock, Los Angeles Henri Chevalier, Paris William G. Cochran, Cambridge James A. Cronvich, New Orleans Maria Victoria de la Cruz, Mexico City Luiz V. Décourt, São Paulo Arthur C. DeGraff, New York D. Durrer, Amsterdam E. E. Eddleman, Jr., Birmingham, Ala. Jesse E. Edwards, St. Paul Charles Fisch, Indianapolis Julian Frieden, New Rochelle, N.Y. Mario R. García-Palmieri, San Juan John F. Goodwin. London Arthur Grishman, New York Herbert E. Griswold, Portland, Ore. W. Proctor Harvey, Washington, D.C. Herbert N. Hultgren, Palo Alto J. Willis Hurst, Atlanta Włodzimierz Januszewicz, Warsaw Andre Iouve, Marseille John W. Kirklin, Birmingham, Ala. Richard Langendorf, Chicago

James J. Leonard, Pittsburgh Maurice Lev, Chicago Robert L. Levy, New York Jiri Linhart, Prague T. E. Lowe, Melbourne Daniel S. Lukas, New York Pavel E. Lukomsky, Moscow Alan Franklin Lyon, New York Donald Mainland, New York Andrew G. Morrow, Bethesda Clifford V. Nelson, Portland, Me. Alfred Pick, Chicago Walter H. Pritchard, Cleveland Simon Rodbard, Duarte D. G. Scarpelli, Kansas City, Kan. Leonard Scherlis, Baltimore Ralph C. Scott, Cincinnati Ewald E. Selkurt, Indianapolis John T. Shepherd, Rochester, Minn. Ernst Simonson, Minneapolis Aly H. Sarour, Cairo Pierre Soulie, Paris Madison S. Spach, Durham Ole Storstein, Oslo Francesco Testoni, Rome Tatsuya Tomomatsu, Kobe, Japan Lars Werkö, Göteborg R. F. Whelan, Adelaide Ernst Wollheim, Wurzburg, Germany Paul N. Yu, Rochester, N.Y.

VOLUME 75

JANUARY-JUNE, 1968

VOLUME 75 COPYRIGHT © 1968 BY THE C. V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

## Author index\*

A

ABE, HIROSHI. (See Nimura et al.), 49
AHLGREN, DAVID J. (See Cronvich, Ahlgren, and Burch), 510
AINGER, LORIN E. Spatial QRS curves of the new-

born infant, 19

Almond, Carl H., Elefson, Eugene E., and Hoffer, Richard E. The intrathoracic extracardiac pneumatic ventricular as-sistor, 567 (Annot.)

ANTHONISEN, N. (See Oriol, Anthonisen, and Mc-Gregor), 589

AOKI, KAZUKO. (See Nimura et al.), 49

ASCANIO, GUIDO. (See Barrera et al.), 421 (Annot.)

BAKER, CHARLES. (See Simonson et al.), 125
BARRERA, FRANK, ASCANIO, GUIDO, KOLATAT,
THONGCHATR, TALLARIDA, RONALD J.,
AND OPPENHEIMER, M. J. Interrelations
of cardiac necrosis, acute hypotension, and
ventricular fibrillation, 421 (Annot.)
BAUM, DAVID. (See Guntheroth et al.), 313
BRIGHMORE ALBERTO. (See McNally and Benchi-

Benchimol, Alberto. (See McNally and Benchimol), 380, 679
Benson, Herbert, Ellis, Laurence B., and Harken, Dwight E. The effect of preoperative systemic blood pressure on closed mitral valvuloplasty, 439

—... (See Ellis, Benson, and Harken), 743
BERKOVITS, BAROUH V. (See Castellanos et al.), 6
BERNSTEIN, WILLIAM H. (See Samet and Bernstein), 288

BLACK, WILLIAM L., AND ROLETT, ELLIS L. Cardiovascular adrenergic activity of dopamine in the dog, 233

BLUMBERG, ALFRED. Extracellular volume in pa-tients with chronic renal disease treated for hypertension by sodium restriction, 717 (Annot.)

717 (Annot.)
BOINEAU, JOHN P. (See Wallace et al.), 728
BOMMER, WILLIAM J. (See Kerr, Bommer, and Pilato), 144 (Annot.)
BOOTH, RICHARD W. (See Runco et al.), 153
BOUCEK, ROBERT J. (See Isaacson and Boucek), 206
BREST, ALBERT N. Renal arterial hypertension, 707
BOUCER, ROBERT J. (See Cairne et al.) 173

Bristow, J. David. (See Cairns et al.), 173
Brown, Gordon C. Coxsackie virus infections and heart disease, 145

Burch, G. E., DePasquale, N. P., and Phillips, J. H. The syndrome of papillary muscle

dysfunction, 399

, AND SUN, S. C. Viral nephritis, 1

. (See Cronvich, Ahlgren, and Burch), 510 (See DePasquale and Burch), 630

BURCKHARDT, DIETER, AND LADUE, JOHN S. The effect of inorganic phosphate infusion upon digitalis-induced arrhythmias in dogs, 364

Vera, Cesar A., and LaDue, John S. Failure of safflower oil hyperlipemia to inhibit limitation of the size of experimental streptokinase-treated myocardial infarc-

Burns, Neal. (See Simonson et al.), 125
Burns-Cox, C. J. The occurrence of a normal electrocardiogram after myocardial infarction 572 (Annot.)

CAIRNS, KENNETH B., KLOSTER, FRANK E., BRISTOW, J. DAVID, LEES, MARTIN H., AND GRIS-WOLD, HERBERT E. Problems in the hemodynamic diagnosis of tricuspid insufficiency, 173

Carson, Valerie. (See Nayler et al.), 83, 223 Carvajal, Jorge A. Atheroembolism; a late complication of arteriosclerosis, 278 (Annot.) Cash, J. D. A new approach to studies of the fibrino-

CASH, J. D. A new approach to studies of the fibrinolytic enzyme system in man, 424 (Annot.)

CASTELLANOS, AGUSTIN, JR., LEMBERG, LOUIS,
SALHANICK, LOUIS, AND BERKOVITS, BAROUH V. Pacemaker vectorcardiography, 6

—, and —. Programmed vectorcardiography, the ST-T loop in the horizontal
plane, 260

CHEILLIN, MELVIN D. (See Glasson et al.) 662

CHEITLIN, MELVIN D. (See Glasser et al.), 663 CHESLER, ELLIOT, MOLLER, JAMES H., AND ED-WARDS, JESSE E. The congenital cardiovascular anomalies underlying "reversed coarctation," 34
COHEN, LOUIS. (See Wolinsky et al.), 799

CONNOR, DANIEL H., SOMERS, KRISHNA, HUTT,
MICHAEL, S. R., MANION, WILLIAM C.,
AND D'ARBELA, PAUL G. Endomyocardial
fibrosis in Uganda (Davies' disease).
II. An enidemiologica clinical and estable II. An epidemiologic, clinical, and patho-

logic study, 107 Conway, James. (See Schacht and Conway), 714 (Annot.)

COSMA, JOHN. (See Fischmann, Cosma, and Pipberger), 465

CRONVICH. JAMES A., AHLGREN, DAVID Burch, George E. Amplitude probability densities of electrocardiograms, 510
Cutler, Sherilyn L. (See Warren et al.), 358
Czarnecki, Stephen W., Rosenbaum, Harvey M.,

AND WACHTEL, HERBERT L. The occurrence of primary pulmonary hypertension in twins with a review of etiological con-siderations, 240

DAGGETT, W. M. (See Gilmore et al.), 215 DAMATO, ANTHONY N. (See Scherlag, Helfant, and Damato), 200

Danialo), 200

—. (See Kosowsky et al.), 736

D'Arbela, Paul G. (See Connor et al.), 107

DAVACHI, FARZIN, MOLLER, JAMES H., AND EDWARDS, JESSE E. Origin of both great vessels from right ventricle with intact ventricular septum, 790

DEAL, CEDRIC W., LOUIS, EUGENE, KERTH, WILLIAM J., Osborn, John J., and Gerbode, Frank.
Bronchopulmonary precapillary blood flow
during cardiopulmonary bypass, 43
DePasquale, N. P., and Burch, G. E. Influence

of bradykinin on isolated canine venous strips, 630

<sup>\*</sup>January, pp. 1-144; February, pp. 145-284; March, pp. 285-434; April, pp. 435-578; May, pp. 579-722; June, pp. 723-868.

—. (See Burch, DePasquale, and Phillips), 399 DIETZMAN, RONALD H., AND LILLEHEI, RICHARD N, KONALD H., AND Littlement, C. The treatment of cardiogenic shock.

IV. The use of phenoxybenzamine and chlorpromazine, 136

d ——. The treatment of cardiogenic shock.

V. The use of corticosteroids in the treat-

ment of cardiogenic shock, 274 Dodge, Harold T. (See Sandler and Dodge), 325
Donegan, Charles C., Jr., Moore, Marcus M.,
Wiley, Thomas M., Jr., Hernandez,
Francisco A., Green, J. Russell, Jr.,
and Schiebler, Gerold L. Familial Ebstein's anomaly of the tricuspid valve, 375 Dossetor, John B. (See Gault and Dossetor), 723

EDMONDS, J. H., JR. (See Witham, Rainey, and Edmonds), 186 EDWARDS, JESSE E. (See Chesler, Moller, and Ed-

wards), 34

— (See Davachi, Moller, and Edwards), 790
ELEFSON, EUGENE E. (See Almond, Elefson, and Hoffer), 567 (Annot.)
ELLIS, LAURENCE B., BENSON, HERBERT, AND HARKEN, DWIGHT E. The effect of age and other factors on the early and late results following pleased mixtra valued patesty, 743 ing closed mitral valvuloplasty,

—... (See Benson, Ellis, and Harken), 439 ESTES, E. HARVEY. (See Wallace et al.), 728 ESTES, E. HARVEY, JR. (See Romhilt and Estes), 752 . (See Romhilt, Hackel, and Estes), 279 (An-

Fearon, Richard E. Comparison of norepineph-rine and isoproterenol in experimental coronary shock, 634
FINNERTY, FRANK A., Jr. Hypertensive encephalop-

athy, 559

FISCHER, GRACE M., MATA, ELA I., AND LLAURADO,
JOSEP G. Regional differences in magnesium, calcium, and zinc composition of arterial wall in normal and hypertensive dogs, 784

FISCHMANN, EUGENE, COSMA, JOHN, AND PIPBERGER, HUBERT V. Beat to beat and observer variation of the electrocardiogram, 465 Fisher, D. D. (See von der Groeben, Fisher, and Toole), 487

FISHMAN, ALFRED P., HEATH, DONALD, AND PENTE-COST, B. L. Clinical pathologic conference,

FISHMAN, NOEL H., YOUKER, J. E., AND ROE, BEN-SON B. Mechanical injury to the coronary

arteries during operative cannulation, 26
FLETCHER, GERALD F., HURST, WILLIS, AND
SCHLANT, ROBERT C. "Polarizing" solutions in patients with acute myocardial infarction, 319 d —...... An intermittent "cooing" diastolic

-, and murmur due to a torn aortic valve cusp, 537

Anna Mae. (See Lefemine, Fosberg, and FOSBERG,

Harken), 531
FOWLER, RODNEY S. (See Khoury and Fowler), 147
FRICK, M. HEIKKI. (See Härtel, Frick, and Halonen), 540

GAMBOA, RAUL, AND WHITE, NANCY. The corrected orthogonal electrocardiogram in normal children, 449 GAULT, JAMES H. (See Tatooles et al.), 102

GAULT, M. HENRY, AND DOSSETOR, JOHN B. The place of phenolsulfonphthalein (PSP) in the measurement of renal function, 723

GERBODE, FRANK. (See Deal et al.), 43 GIANELLY, RALPH E. (See Warren et al.), 358 GILBERT, ENID F. (See Payan and Gilbert), 428 (Annot.)

GILMORE, J. P., DAGGETT, W. M., McDonald, R. H., and Sarnoff, S. J. Influence of calcium on myocardial potassium balance, oxygen consumption, and performance, 215 GLAGOV, SEYMOUR. (See Okada, Glagov, and Lev),

474

— . (See Wolinsky et al.), 799 GLASSER, STEPHEN P., CHEITLIN, MELVIN D., SER-FAS, LEE S., AND SBAR, SHELDON S. ISOlated massive chylopericardium, 663

Goble, Alan J. (See Sloman, Stannard, and Goble), 140 (Annot.) Goldberg, Leon I. The treatment of cardiogenic shock. VI. The search for an ideal drug, 416

Green, J. Russell, Jr. (See Donegan et al.), 375
Griffiths, H. J. L. A case of complete AV block
produced by guanethidine, 371
Grist, N. R. Q fever endocarditis, 846 (Annot.)
Griswold, Herbert E. (See Cairns et al.), 173
Gueron, Mosche, and Weizman, Shimon. Catecholamines and myocardial damage in
scorpion sting 715 (Annot.)

Scorpion sting, 715 (Annot.)
GUNTHEROTH, WARREN G., MORTAN, BEVERLY C.,
MULLINS, GAY L., AND BAUM, DAVID.
Venous return with knee-chest position and squatting in tetralogy of Fallot, 313

Hackel, Donald B. (See Romhilt, Hackel, and Estes), 279 (Annot.) Haft, Jacob I. (See Kosowsky et al.), 736

HALONEN, PENTTI I. (See Härtel, Frick, and Halo-

nen), 540 Hamlin, J. Andrew. (See Selvester et al.), 335 Hanke, Horst. (See Hirsch and Hanke), 568 (An-

HARKEN, DWIGHT E. (See Benson, Ellis, and Harken), 439, 743

—. (See Lefemine, Fosberg, and Harken), 531
HARRISON, DONALD C. (See Warren et al.), 358
HÄRTEL, GOTTFRIED, FRICK, M. HEIKKI, AND HALONEN, PENTTI I. Supravalvular pulmonic stenosis, abnormal facial appearance, and mental retardation, 540

HATTORI, NORIAKI. (See Omae et al.), 76 HEATH, DONALD. (See Fishman, Heath, and Pente-

cost), 251 HELFANT, RICHARD H. (See Scherlag, Helfant, and Damato), 200

HERNANDEZ, FRANCISCO A. (See Donegan et al.),

HILL, JOHN D. The significance of foreleg positions in the interpretation of electrocardiograms and vectorcardiograms from re-

grams and vectorization from research animals, 518

HIRSCH, HANS H., AND HANKE, HORST. The cause of transplanted heart valve homograft persistence, 568 (Annot.)

HOFFER, RICHARD E. (See Almond, Elefson, and Hoffer), 567 (Annot.)

, ELLIOTT J., AND MAIER, HERBERT C. Constrictive pericarditis following acute HOWARD,

Cossackie viral pericarditis, 247
HUBIS, H. (See Hultgren, Hubis, and Shumway), 302
HULTGREN, H., HUBIS, H., AND SHUMWAY, N. Cardiac function following mitral valve replacement, 302

Hurst, J. Willis. (See Fletcher and Hurst), 537
——. (See Fletcher, Hurst, and Schlant), 319
HUTT, MICHAEL S. R. (See Connor et al.), 107
HYMAN, CHESTER. (See Maronde et al.), 66

IKRAM, H. Propranolol in persistent ventricular fibrillation complicating acute myocardial infarction, 795

ISAACSON, RONALD, AND BOUCEK, ROBERT J. The atrioventricular conduction tissue in the dog, 206

IWATA, YASUSHI. (See Omae et al.), 76

JUDKINS, M. P. (See Kassebaum, Sutherland, and Judkins), 759

Kassebaum, D. G., Sutherland, K. I., and Jud-kins, M. P. A comparison of hypoxemia and exercise electrocardiography in coro-

nary artery disease, 759

KATSUKI, SHIBANOSUKE. (See Omae et al.), 76
KEIPER, CHARLES. (See Simonson et al.), 125
KERR, ANDREW, JR., BOMMER, WILLIAM J., AND
PILATO, SAMUEL. Coronary-artery en-

PILATO, SAMUEL. Coronary-artery enlargement in experimental cardiac hypertrophy, 144 (Annot.)

KERTH, WILLIAM J. (See Deal et al.), 43

KHOURY, GEORGE H., AND FOWLER, RODNEY S.

The vectorcardiographic patterns of unusual conduction disturbance in infancy and childhood, 147

KLEINFELD, MORRIS, AND STEIN, EDWARD. Electrical alternats of components of action

trical alternans of components of action potential, 528

KLOSTER, FRANK E. (See Cairns et al.), 173 KOIDE, K. (See Seki et al.), 620 KOLATAT, THONGCHATR. (See Barrera et al.), 421 KOLATAT, THOMAS (Annot.)

Konno, Souji. (See Sakakibara and Konno), 595 Kosowsky, Bernard D., Haft, Jacob I., Lau, Sun H., Stein, Emanuel, and Damato, Anthony N. The effect of digitalis on atrioventricular conduction in man, 736 Krovetz, L. Jerome. (See McLoughlin, Schiebler, and Krovetz), 162

LADUE, JOHN S. (See Burckhardt and LaDue), 364

—. (See Burckhardt, Vera, and LaDue), 777 LANSING, ALLAN M. Evolution of clinical, radio-logical, and electrocardiographic changes following experimental atrial septal defect, 349

Laragh, John H. Ethacrynic acid and furosemide, 564

LAU, SUN H. (See Kosowsky et al.), 736

LAU, 50N H. (52e ROSOWSKY et al.), 130 LEES, MARTIN H. (5ee Cairns et al.), 173 LEFEMINE, ARMAND A., FOSBERG, ANNA MAE, AND HARKEN, DWIGHT E. Prolonged partial extracorporeal perfusion, 531
Lemberg, Louis. (See Castellanos, Lemberg, and Salhanick), 260

See Castellanos et al.), 6 Lev, Maurice. (See Okada, Glagov, and Lev), 474 Levin, Bertram. (See Pietra et al.), 545 Levin, Hugh S. (See Runco et al.), 153

LILLEHEI, RICHARD C. (See Dietzman and Lillehei),

136, 274
Linko, E., Ruosteenoja, R., and Siitonen, L.
A clinical study on the mechanism of the antiarrhythmic action of a new antagonist to beta-adrenergic receptor, 139 (Annot.)

LLAURADO, JOSEP G. (See Fischer, Mata, and Llau-

rado), 784

Logue, John T. (See Politte, Almond, and Logue),
570 (Annot.)

Louis, Eugene. (See Deal et al.), 43

LOWE, T. E. (See Nayler et al.), 83, 223

McDonald, R. H. (See Gilmore et al.), 215 McGeown, Mary G. Ethics for the use of live donors in kidney transplantation, 711 (Annot.)

(Annot.)
McGregor, M. (See Oriol, Anthonisen, and McGregor), 589
McInnes, I. (See Nayler et al.), 83, 223
McLoughlin, Thomas G., Schiebler, Gerold L.,
AND Krovetz, L. Jerome. Hemodynamic findings in children with endocardial fibroelastosis, 162

McNally, Edward M., and Benchimol, Alberto. Medical and physiological considerations in the use of artificial cardiac pacing. Parts I and II, 380, 679.

McNamara, J. Judson. (See Van Praagh and McNamara), 604

MAIER, HERBERT C. (See Howard and Maier), 247
MANION, WILLIAM C. (See Connor et al.), 107
MARONDE, ROBERT F., FRASHER, WALLACE, HYMAN, CHESTER, AND SOBIN, SIDNEY. Electrical conductivity method for estimating right ventricular output and mathematical

model, 66

Mason, Dean T. (See Tatooles et al.), 102

Master, Arthur M. The Master two-step test, 809

Mata, Ela I. (See Fischer, Mata, and Llaurado), 784

MATSUO, HIROHIDE. (See Nimura et al.), 49
MOCHIZUKI, SHIGEKI. (See Nimura et al.), 49
MOLLER, JAMES H. (See Davachi, Moller, and Edwards), 790
MOORE, MARCUS M. (See Donegan et al.), 375
MONEY K. (See Selving al.)

MORI, K. (See Seki et al.), 620 MORTAN, BEVERLY C. (See Guntheroth et al.), 313

MULLINS, GAY L. (See Guntheroth et al.), 313

NAGASAKA, M. (See Seki et al.), 620 NAYLER, W. G., MCINNES, I., SWANN, J. B., RACE, D., CARSON, VALERIE, AND LOWE, T. E. Some effects of diphenylhydantoin and propranolol on the cardiovascular system, 83

of the hypotensive drug diazoxide on the

cardiovascular system, 223 NEUFELD HENRY N. (See Neuman, Yahini, and Neufeld), 97

NEUMAN, ALEXANDER, YAHINI, JOSEPH H., AND NEUFELD, HENRY N. Intermittent nor-malization of the right ventricular hyper-

trophy pattern in tetralogy of Fallot, 97
NIMURA, YASUHARU, MATSUO, HIROIIDE, MOCHI-ZUKI, SHIGEKI, AOKI, KAZUKO, WADA, ONKYO, AND ABE, HIROSHI. Analysis of a cardiac cycle of the left side of the heart in cases of left ventricular overloading or damage with the ultrasonic Doppler method, 49

OKADA, RYOZO, GLAGOV, SEYMOUR, AND LEV, MAU-RICE. Different effects of increased volume and increased pressure on endocardial structure in hearts with atrial septal defect, 474

OKEL, BENJAMIN B. The Wolff-Parkinson-White

syndrome, 673

Terou, Hattori, Noriaki, Sumiyoshi, Akinobu, Iwata, Yasushi, Tanaea, Kenjiro, Tanaka, Kenzo, and Katsuki, Shibanosuke. Pulmonary edema induced OMAE. by renal extracts originating from rats with experimental hypertension, 76

OPPENHEIMER, M. J. (See Barrera et al.), 421 (Annot.)

Oriol, A., Anthonisen, N., and McGregor, M. Limitations of indicator dilution methods in estimation of cardiac output in chronic lung disease, 589 Osborn, John J. (See Deal et al.), 43

PANTRIDGE, J. F. (See Scott and Pantridge), 579
PARTAIN, JONATHAN O., AND SYDNOR, JOHN BRANT-LEY. Non-surgical complete heart block associated with aortic stenosis: the im-

PAYAN, HUSHANG M., AND GILBERT, ENID F. Micronodular phlebosclerosis, 428 (Annot.)
PENTECOST, B. L. (See Fishman, Heath, and Pentecost), 251

PERETZ, DWIGHT I. Cardiac pacing in the management of advanced heart block during acute myocardial infarction, 845 (Annot.)

J. H. (See Burch, DePasquale, and Phillips), 399

PICK, ALFRED. (See Pietra et al.), 545

PIETRA, GIUSEPPE G., SILBER, EARL, LEVIN, BERT-TRAM, AND PICK, ALFRED. Clinical patho-logic conference, 545

PILATO, SAMUEL. (See Kerr, Bommer, and Pilato),

144 (Annot.)
PIPBERGER, HUBERT V. (See Fischmann, Cosma, and Pipberger), 465

POLITTE, LENARD L., ALMOND, CARL H., AND LOGUE, JOHN T. Dynamic electrocardiography with strenuous exertion at high altitudes, 570 (Annot.)

POTE, WILLIAM W. (See Selvester et al.), 335

RACE, D. (See Nayler et al.), 83, 223
RAINEY, R. L. (See Witham, Rainey, and Edmonds), 186

RANNIGER, KLAUS. (See Wolinsky et al.), 799 RAUTAHARJU, P. M. (See Wong and Rautaharju), 649

Reppert, Edmund H. Surgical treatment of valvular heart disease. I. Criteria for operability in rheumatic heart disease; mitral valve

lesions, 838
RIGO, S. J. (See Stannard and Rigo), 282 (Annot.)
ROE, BENSON B. (See Fishman, Youker, and Roe), 26

ROLETT, ELLIS L. (See Black and Rolett), 233

ROMHILT, DONALD W., AND ESTES, E. HARVEY, JR. A point-score system for the ECG diagnosis of left ventricular hypertrophy, 752, HACKEL, DONALD B., AND ESTES, E. HARVEY,

Jr. Origin of blood supply to sinoauricular and atrioventricular node, 279 (Annot.)

ROSENBAUM, HARVEY M. (See Czarnecki, Rosenbaum, and Wachtel), 240

Ross, John, Jr. (See Tatooles et al.), 102
RUBIN, HERBERT B. (See Selvester et al.), 335
RUNCO, VINCENT, LEVIN, HUGH S., VAHABZADEH,
HUSSEIN, AND BOOTH, RICHARD W. Basal
diastolic murmurs in rheumatic heart
disease: intracardiac phonocardiography
and cineangiography, 153

RUOSTEENOJA, R. (See Linko, Ruosteenoja, and Siitonen), 139 (Annot.)

SACHS, BERNARD A. Appraisal of clofibrate as a

hypolipidemic agent, 707
SAKAKIBARA, SHIGERU, AND KONNO, SOUJI. Congenital aneurysm of the sinus of Valsalva associated with ventricular septal defect, 595

Salhanick, Louis. (See Castellanos, Lemberg, and Salhanick), 260

(See Castellanos et al.), 6

SAMET, PHILIP, AND BERNSTEIN, WILLIAM H. Acute effects of oral ethacrynic acid upon total blood volume, 288

SANDLER, HAROLD, AND DODGE, HAROLD T. The use of single plane angiocardiograms for the calculation of left ventricular volume in man, 325 SARNOFF, S. J. (See Gilmore et al.), 215

SBAR, SHELDON S. (See Glasser et al.), 663 SCHACHT, RICHARD A., AND CONWAY, JAMES. Individual glomerular filtration rates in reno-

vidual glomerular filtration rates in renovascular hypertension, 714 (Annot.)

SCHECHTER, DAVID CHAS. The classification of coronary artery fistulas, 281 (Annot.)

SCHERLAG, BENJAMIN J., HELFANT, RICHARD H., AND DAMATO, ANTHONY N. The contrasting effects of diphenylhydantoin and procaine amide on A-V conduction in the digitalis-intoxicated and the normal heart digitalis-intoxicated and the normal heart, 200

Schiebler, Gerold L. (See Donegan et al.), 375

—. (See McLoughlin, Schiebler, and Krovetz), 162

SCHLANT, ROBERT C. (See Fletcher, Hurst, and Schlant), 319
SCHMITT, O. H. (See Simonson et al.), 125
SCOTT, M. E., AND PANTRIDGE, J. F. The value of direct current conversion of atrial fibrillation 579. lation, 579

Seki, K., Yamane, Y., Shimoura, A., Koide, K., Uechi, M., Mori, K., Nagasaka, M., and Yoshitoshi, Y. Experimental and clinical study on the lymph circulation, 620

Selvester, Ronald H., Rubin, Herbert B., Ham-lin, J. Andrew, and Pote, William W. New quantitative vectorcardiographic criteria for the detection of unsuspected myocardial infarction in diabetics, 335

Serfas, Lee S. (See Glasser et al.), 663
Shillingford, John, and Thomas, Michael.
Treatment of bradycardia and hypotension syndrome in patients with acute

myocardial infarction, 843 (Annot.) SHINOURA, A. (See Seki et al.), 620 SHUMWAY, N. (See Hultgren, Hubis, and Shumway),

302 SHTONEN, L. (See Linko, Ruosteenoja, and Siitonen), 139 (Annot.)

SILBER, EARL. (See Pietra et al.), 545

Simonson, Ernst, Baker, Charles, Burns, Neal, Keiper, Charles, Schmitt, O. H., and Stackhouse, Stirling. Cardiovascular stress (electrocardiographic changes) produced by driving an automobile, 125

SLOMAN, GRAEME, STANNARD, MARY, AND GOBLE, ALAN J. Coronary care unit, a review of 300 patients monitored since 1963, 140 (Annot.)

SOBIN, SIDNEY S. (See Maronde et al.), 66 SOMERS, KRISHA. (See Connor et al.), 107 SPACH, MADISON S. (See Wallace et al.), 728

STACKHOUSE, STIRLING. (See Simonson et al.), 125

STANNARD, MARY, AND RIGO, S. J. Prolapse of the posterior leaflet of the mitral valve: chromosome studies in three sisters, 282 (Annot.

STEIN, EDWARD. (See Kleinfeld and Stein), 528 STEIN, EMANUEL. (See Kosowsky et al.), 736 STEWART, G. T. Allergenic factors in penicillins and

серhalosporins, 429 (Annot.) Sтоск, Eric. Arrhythmias after myocardial infarction, 435

SUMIYOSHI, AKINOBU. (See Omae et al.), 76 SUN, S. C. (See Burch and Sun), 1

SUTHERLAND, K. I. (See Kassebaum, Sutherland, and Judkins), 759
SWANN, J. B. (See Nayler et al.), 83, 223

SYDNOR, JOHN BRANTLEY. (See Partain and Sydnor),

TALLARIDA, RONALD J. (See Barrera et al.), 421 (Annot.)

TANAKA, KENJIRO. (See Omae et al.), 76
TATOOLES, CONSTANTINE J., GAULT, JAMES H.,
MASON, DEAN T., AND ROSS, JOHN, Jr.
Reflux of oxygenated blood into the pulmonary artery in severe mitral regurgitation, 102

THOMAS, MICHAEL. (See Shillingford and Thomas), 843 (Annot.)

Toole, J. G. (See von der Groeben, Fisher, and Toole), 487

UECHI, M. (See Seki et al.), 620

180

VAHABZADEH, HUSSEIN. (See Runco et al.), 153 VANDERBEL, JOHANNA. (See Wolinsky et al.), 799 VAN PRAAGH, RICHARD, AND MCNAMARA, J. JUDSON. Anatomic types of ventricular septal defect with aortic insufficiency, 604
ESAR A. (See Burckhardt, Vera, and La-

VERA, CESAR A. (See Burckhardt, Due), 777

von der Groeben, J., Fisher, D. D., and Toole, J. G. Temporospatial frequency distribu-tion of P, QRS, and T in normal man and woman, 487

## W

WACHTEL, HERBERT L. (See Czarnecki, Rosenbaum, and Wachtel), 240

WADA, ONKYO. (See Nimura et al.), 49
WALLACE, ANDREW G., SPACH, MADISON S., ESTES,
E. HARVEY, AND BOINEAU, JOHN P. Activation of the normal and hypertrophied human right ventricle, 728
WALLACE, DAVID C. The natural history of cerebral

vascular disease, 285 WALSH, S. ZOE. A diastolic murmur in the healthy

newborn infant, 582 . The Macruz index in the healthy newborn

warren, Merritt C., Gianelly, Ralph E., Cut-Ler, Sherilyn L., and Harrison, Donald C. Digitalis toxicity. II. The effect of metabolic alkalosis, 358

WATSON, HAMISH. Atrial septostomy, 143 (Annot.)

Weizman, Shimon. (See Gueron and Weizman, 715 (Annot.) Wharton, C. F. P. The long-term administration constraints antibiotics in endocarditis, of intravenous antibiotics in endocarditis, 844 (Annot.)

WHITE, NANCY. (See Gamboa and White), 449
WILEY, THOMAS M., JR. (See Donegan et al.), 375
WITHAM, A. C. Sponge electrodes for recording the

vectorcardiogram of children, 291
, RAINEY, R. L., AND EDMONDS, J. H., JR.
Prediction of right ventricular pressure
in pulmonic stenosis from sponge vector-

cardiogram and electrocardiogram, 186
Wolinsky, Harvey, VanderBel, Johanna, Cohen,
Louis, Ranniger, Klaus, and Glagov,
Seymour. Clinical pathologic conference, 799

Wong, Alan Y. K., and Rautaharju, P. M. Stress distribution ithin the left ventricular wall approximated as a thick ellipsoidal shell, 649

Yahini, Joseph H. (See Neuman, Yahini, and Neufeld), 97 Yamane, Y. (See Seki et al.), 620 Yoshitoshi, Y. (See Seki et al.), 620 Youker, J. E. (See Fishman, Youker, and Roe), 26

# Subject index\*

A Acid, ethacrynic and furosemide (Laragh), 564 Activation of normal and hypertrophied human right ventricle (Wallace et al.), 728

Acute Coxsackie viral pericarditis, constrictive following (Howard and pericarditis Maier), 247

effects of oral ethacrynic acid upon total blood volume (Samet and Bernstein), 288 hypotension, ventricular fibrillation, and cardiac necrosis, interrelations of (Barrera et al.), 421 (Annot.)

myocardial infarction, cardiac pacing in management of advanced heart block during

(Peretz), 845 (Annot.) in patients, treatment of bradycardia and hypotension syndrome (Shillingford and Thomas), 843 (Annot.) "polarizing" solutions in patients with (Flet-cher, Hurst, and Schlant), 319

propranolol in persistent ventricular fibrilla-tion complicating (Ikram), 795 Administration, long-term, of intravenous anti-biotics in endocarditis (Wharton), 844 (Annot.)

Adrenergic cardiovascular activity of dopamine in dog (Black and Rolett), 233

Age and other factors, effect of, on early and late results following closed mitral valvuloplasty (Ellis, Benson, and Harken), 743

Alkalosis, metabolic, effect of, on digitalis toxicity (Warren et al.), 358

Allergenic factors in penicillins and cephalosporins (Stewart), 429 (Annot.)
Alternans, electrical, of components of action po-

tential (Kleinfeld and Stein), 528 Altitudes, high, dynamic electrocardiography with strenuous exertion at (Politte, Almond, and Logue), 570 (Annot.)

Aneurysm, congenital, of sinus of Valsalva associ-ated with ventricular septal defect (Sakakibara and Konno), 595

Angiocardiograms, single plane, use of, for calculation of left ventricular volume in man (Sandler and Dodge), 325

Announcements, 434, 578, 722, 852
Anomaly(ies), congenital cardiovascular, underlying "reversed coarctation" (Chesler, Moller, and Edwards), 34

Ebstein's, familial, of tricuspid valve (Donegan et al.), 375

Antiarrhythmic action of new antagonist to betaadrenergic receptor, clinical study on mechanism of (Linko, Ruosteenoja, and Siitonen), 139 (Annot.)

Antibiotics, intravenous, long-term administration of, in endocarditis (Wharton), 844 (Annot.)

Aortic insufficiency, ventricular septal defect with, anatomic types of (Van Praagh and McNamara), 604 stenosis, non-surgical complete heart block as-

sociated with: importance of correct diagnosis (Partain and Sydnor), 180 valve cusp, torn, intermittent "cooing" diastolic murmur due to (Fletcher and Hurst), 537

Aortoiliac and femoropopliteal endarterectomy for obliterative atherosclerosis, current tech-

nique of, 721 (B. Rev.) Arrhythmias, digitalis-induced, in dogs, effect of inorganic phosphate infusion upon (Burck-

hardt and LaDue), 364 after myocardial infarction (Stock), 435 Arterial hypertension, renal (Brest), 696

wall, regional differences in magnesium, calcium, and zinc composition, in normal and hypertensive dogs (Fischer, Mata, and

Llaurado), 784 Arteriosclerosis, late complication of, atheroembolism (Carvajal), 278 (Annot.)

obliterans, clinical plethysmography of forefoot in, 720 (B. Rev.)

Artery(ies), coronary, disease, comparison of hypoxemia and exercise electrocardiog-raphy in (Kassebaum, Sutherland, and Judkins), 759

during operative cannulation, mechanical injury to (Fishman, Youker, and Roe), 26 enlargement in experimental cardiac hyper-trophy (Kerr, Bommer, and Pilato), 144 (Annot.)

fistulas, classii (Annot.) classification of (Schechter), 281

Artificial cardiac pacing, medical and physiological considerations in use of, Parts I and II (McNally and Benchimol), 380, 679

Assistor, intrathoracic extracardiac pneumatic ventricular (Almond, Elefson, and Hoffer), 567 (Annot.)

Atheroembolism; late complications of arteriosclerosis (Carvajal), 278 (Annot.)

Atrial fibrillation, value of direct current conversion of (Scott and Pantridge), 579

septal defect, different effects of increased volume and pressure on endocardial structure in hearts with (Okada, Glagov, and Lev),

experimental, evolution of clinical, radiological, and electrocardiographic changes following (Lansing), 349

septostomy (Watson), 143 (Annot.) Atrioventricular conduction in man, effects of digitalis on (Kosowsky et al.), 736 tissue of dog (Isaacson and Boucek), 206

and sinoauricular node, origin of blood supply (Romhilt, Hackel, and Estes), (Annot.)

<sup>\*</sup>January, pp. 1-144 February, pp. 145-284; March, pp. 285-434; April, pp. 435-578; May, pp. 579-722; June, pp. 723-868.

Automobile, cardiovascular stress (electrocardiographic changes) produced by driving (Simonson et al.), 125

A-V block, complete, case of, produced by guan-ethidine (Griffiths), 371

conduction in digitalis-intoxicated and normal heart, contrasting effects of diphenylhydantoin and procaine amide (Scherlag, Helfant, and Damato), 200

## B

Ballistocardiography and cardiac performance, 577 (B. Rev.)

in cardiovascular research, 720 (B. Rev.)

Basal diastolic murmurs in rheumatic heart disease: intracardiac phonocardiography cineangiography (Runco et al.), 153 Beat to beat and observer variation of the electro-

cardiogram (Fischmann, Cosma, and Pipberger), 465

Beta-adrenergic receptor, clinical study on mechanism of antiarrhythmic action of new antagonist to (Linko, Ruosteenoja, and Siitonen), 139 (Annot.)

Block, heart, advanced, cardiac pacing in management of, during acute myocardial in-farction (Peretz), 845 (Annot.) Blood clotting enzymology, 577 (B. Rev.)

flow, bronchopulmonary precapillary, during cardiopulmonary bypass (Deal et al.), 43 pressure, preoperative systemic, on closed mitral valvuloplasty, effect of (Benson, Ellis, and Harken), 439

supply of lower limb bones in man, 851 (B. Rev.) sinoauricular and atrioventricular node, origin of (Romhilt, Hackel, and Estes),

volume, total, acute effects of oral ethacrynic acid upon (Samet and Bernstein), 288

Bones, limb, lower, blood supply of, in man, 851 (B. Rev.)

Bradycardia and hypotension syndrome, treatment of, in patients with acute myocardial infarction (Shillingford and Thomas), 843 (Annot.)

Bradykinin, influence of, on isolated canine venous Bronchopulmonary precapillary blood flow during cardiopulmonary bypass (Deal et al.), 43
Burns, shock, and plasma volume regulation, 720
(B. Rev.)

Calcium, influence of, on myocardial potassium balance, oxygen consumption, and per-formance (Gilmore et al.), 215

zinc, and magnesium composition, regional dif-ferences in, of arterial wall in normal and hypertensive dogs (Fischer, Mata, and Llaurado), 784

Canine venous strips, isolated, influence of brady-

kinin on (DePasquale and Burch), 630 Cannulation, operative, mechanical injury to coro-nary arteries during (Fishman, Youker,

and Roe), 26 Cardiac cycle, analysis of, of left side of heart in cases of left ventricular overloading or damage with ultrasonic Doppler method

(Nimura et al.), 49 following mitral valve replacement following? function (Hultgren, Hubis, and Shumway), 302

necrosis, acute hypotension, and ventricular fibrillation, interrelations of (Barrera et al.), 421 (Annot.) Cardiac -Cont'd

output in chronic lung disease, limitations of indicator dilution methods in estimation of (Oriol, Anthonisen, and Mc-Gregor), 589
pacing, artificial, medical and physiological con-siderations in use of Parts I and III

(McNally and Benchimol), 380, 679 in management of advanced heart block during acute myocardial infarction (Peretz) 845 (Annot.)

performance and ballistocardiography, 577 (B. Rev.)

Cardiogenic shock, corticosteroids in treatment of, use of, V (Dietzman and Lillehei), 274 treatment of, IV, use of phenoxybenzamine chlorpromazine (Dietzman and and Lillehei), 136

VI, search for ideal drug (Goldberg), 416 Cardiopulmonary bypass, bronchopulmonary precapillary blood flow during (Deal et al.),

Cardiovascular adrenergic activity of dopamine in dog (Black and Rolett), 233 anomalies, congenital, underlying "reversed co-

arctation" (Chesler, Moller, and Edwards), 34 physiology, 721 (B. Rev.)

ballistocardiography in, 720 (B. Rev.) research. stress, electrocardiographic changes produced by driving automobile (Simonson et al.), 125 system, some effects of hypotensive drug di-azoxide on (Nayler et al.), 223

Catecholamines and myocardial damage in scorpion sting (Gueron and Weizman), (Annot.

Cephalosporins and penicillins, allergenic factors in (Stewart), 429 (Annot.)

Cerebral vascular diseases, 851 (B. Rev.) natural history of (Wallace), 285

Chest and heart, international conference, transactions of, 284 (B. Rev.)

Children, normal, corrected orthogonal electrocardiogram in (Gamboa and White), 449

Chlorpromazine and phenoxybenzamine, use of, IV, treatment of cardiogenic shock (Dietzman and Lillehei), 136

Chromosome studies in three sisters: prolapse of posterior leaflet of mitral valve (Stan-nard and Rigo), 282 (Annot.)

Chronic and constrictive pericarditis, 851 (B. Rev.) lung disease, limitations of indicator dilution methods in estimation of cardiac output in (Oriol, Anthonisen, and McGregor),

renal disease, extracellular volume in patients with, treated for hypertension by so-dium restriction (Blumberg), 717 (Annot.

Chylopericardium, isolated massive (Glasser et al.), 663

Cineangiography and intracardiac phonocardiography: basal diastolic murmurs in rheu-matic heart disease (Runco et al.), 153 Circulation, lymph, experimental and clinical study

on (Seki et al.), 620 Circulatory transport, physical bases of, regulation

and exchange, 432 (B. Rev. Clinical pathologic conference (Fishman et al.), 251 ietra et al.), 545

(Wolinsky et al.), 799

radiological, and electrocardiographic changes, evolution of, following experimental atrial septal defect (Lansing), 349

- Clofibrate, appraisal of, as hypolipidemic agent (Sachs), 707
- Closed mitral valvuloplasty, effect of age and other factors on early and late results follow-ing (Ellis, Benson, and Harken), 743 Coarctation, reversed, congenital cardiovascular
- anomalies underlying (Chesler, Moller, and Edwards), 34
- Comparison of hypoxemia and exercise electrocardiography in coronary artery disease (Kassebaum, Sutherland, and Judkins), 759
- Components of action potential, electrical alternans of (Kleinfeld and Stein), 528
- Composition, magnesium, calcium, and zinc, gional differences in, of arterial wall in normal and hypertensive dogs (Fischer,
- Mata, and Llaurado), 784
  Conduction disturbance, unusual, in infancy and childhood, vectorcardiographic patterns (Khoury and Fowler), 147
- in man, atrioventricular, effect of digitalis on (Kosowsky et al.), 736
- tissue, atrioventricular, of dog (Isaacson and Boucek), 206
- Conductivity ty method, electrical, for estimating right ventricular output and mathematical model (Maronde et al.), 66
- Congenital aneurysm of sinus of Valsalva associated with ventricular septal defect (Sakakibara and Konno), 595 cardiovascular anomalies underlying "reversed
- coarctation" (Chesler, Moller, and Edwards), 34
- Constrictive pericarditis following acute Coxsackie viral pericarditis (Howard and Maier), 247
- Conversion, direct current, of atrial fibrillation,
- value of (Scott and Pantridge), 579 "Cooing" diastolic murmur, intermittent, due to torn aortic valve cusp (Fletcher and Hurst), 537
- Coronary arteries during operative cannulation, mechanical injury to (Fishman, Youker, and Roe), 26
  - artery disease, electrocardiography in, comparison of hypoxemia and exercise (Kasse
    - baum, Sutherland, and Judkins), 759 enlargement in experimental cardiac hypertrophy (Kerr, Bommer, and Pilato), 144 (Annot.)
    - classification of (Schechter), 281 fistulas, (Annot.)
- care unit, review of 300 patients monitored since 1963 (Sloman, Stannard, and Goble), 140 (Annot.)
- and rheumatic heart disease, 284 (B. Rev.)
- shock, experimental, comparison of norepinephrine and isoproterenol in (Fearon), 634
- Corticosteroids, use of, in treatment of cardiogenic shock (Dietzman and Lillehei), 274 Coxsackie viral pericarditis, acute, constrictive
- following (Howard and pericarditis Maier), 247
- virus infections and heart disease (Brown), 145 Criteria, vectorcardiographic, new quantitative, for detection of unsuspected myocardial infarction in diabetics (Selvester et al.), 335
- Cusp, torn aortic valve, intermittent "cooing" diastolic murmur due to (Fletcher and Hurst), 537

- Davies' disease (endomyocardial fibrosis) in Uganda, II, epidemiologic, clinical, and pathologic study (Connor et al.), 107
- Defect, atrial septal, different effects of increased volume and pressure on endocardial structure in hearts with (Okada, Glagov,
- and Lev), 474
  Densities, amplitude probability, of electrocardiograms (Cronvich, Ahlgren, and Burch), 510
- Diabetics, new quantitative vectorcardiographic criteria for detection of unsuspected myocardial infarction in (Selvester et 335
- Diagnosis, ECG, of left ventricular hypertrophy, point-score system for (Romhilt and Estes), 752
- Diastolic murmurs, basal, in rheumatic heart disease: intracardiac phonocardiography and cineangiography (Runco et al.), 153 in healthy newborn infant (Walsh), 582 intermittent "cooing," due to torn aortic valve cusp (Fletcher and Hurst), 537 Diazoxide, hypotensive drug, some effects of, on
- cardiovascular system (Nayler et al.), 223
- Digitalis, effects of, on atrioventricular conduction in man (Kosowsky et al.), 736 -induced arrhythmias, in dogs, effect of inorganic phosphate infusion upon (Burckhardt
  - and LaDue), 364
    -intoxicated and normal heart, contrasting effect of diphenylhydantoin and procaine amide on A-V conduction (Scherlag, Helfant, and Damato), 200
  - toxicity, effect of metabolic alkalosis (Warren
- et al.), 358 Dilution methods, indicator, limitations of, in estimation of cardiac output in chronic lung disease (Oriol, Anthonisen, and McGregor), 589
- Diphenylhydantoin and procaine amide, contrast-ing effects of, on A-V conduction in digitalis-intoxicated and normal heart
- (Scherlag, Helfant, and Damato), 200 and propranolol, effects of, on cardiovascular system (Nayler et al.), 83
- Distribution, temporospatial frequency, of P, QRS, and T in normal man and woman (von der Groeben, Fisher, and Toole), 487 Donors, live, ethics for use of, in kidney transplan-tation (McGeown), 711 (Annot.)
- Dopamine in dog, cardiovascular adrenergic activity (Black and Rolett), 233 Doppler method, ultrasonic, analysis of cardiac cycle of left side of heart in cases of left
  - ventricular overloading or damage with (Nimura et al.), 49
- Driving automobile, cardiovascular stress (electrocardiographic changes) produced by (Simonson et al.), 125
- Ebstein's anomaly, familial, of tricuspid valve (Donegan et al.), 375
- ECG diagnosis, point-score system for, of left ventricular hypertrophy (Romhilt and Estes), 752
- Edema, pulmonary, induced by renal extracts originating from rats with experimental hypertension (Omae et al.), 76

Electrical alternans of components of action po-tential (Kleinfeld and Stein), 528

conductivity method for estimating right ventricular output and mathematical model (Maronde et al.), 66

Electrocardiograms, amplitude probability densities of (Cronvich, Ahlgren, and Burch), 510

beat to beat and observer variation of (Fisch-mann, Cosma, and Pipberger), 465 corrected orthogonal, in normal children (Gamboa and White), 449

normal, after myocardial infarction, occurrence of (Burns-Cox), 572 (Annot.)

and sponge vectorcardiogram, prediction of right ventricular pressure in pulmonic ste-nosis (Witham, Rainey, and Edmonds),

and vectorcardiograms from research animals, significance of foreleg positions in inter-pretation of (Hill), 518

Electrocardiographic changes produced by driving automobile, cardiovascular stress (Simonson et al.), 125

clinical, and radiological changes, evolution of, following experimental atrial septal defect (Lansing), 349

Electrocardiography in coronary artery disease, comparison of hypoxemia and exercise (Kassebaum, Sutherland, and Judkins),

dynamic, with strenuous exertion at high alti-tudes (Politte, Almond, and Logue), 570 (Annot.)

Electrodes, sponge, for recording vectorcardiogram of children (Witham), 291

Ellipsoidal shell, thick, stress distribution within left ventricular wall approximated as (Wong and Rautaharju), 649

Encephalopathy, hypertensive (Finnerty), 559
Endarterectomy, femoropopliteal and aortoiliac,
current technique of, for obliterative
atherosclerosis, 721 (B. Rev.)

Endocardial fibroelastosis, hemodynamic findings in children with (McLoughlin, Schiebler, and Krovetz), 162

structure in hearts with atrial septal defect, different effects of increased volume and pressure on (Okada, Glagov, and Lev), 474

Endocarditis, long-term administration of intra-venous antibiotics in (Wharton), 844 (Annot.)

Q fever (Grist), 846 (Annot.)

Endomyocardial fibrosis (Davies' disease) in Uganda, II, epidemiologic, clinical, and pathologic study (Connor et al.), 107 Enzymology, blood clotting, 577 (B. Rev.)

Ethacrynic acid and furosemide (Laragh), 564 oral, acute effects of, upon total blood volume (Samet and Bernstein), 288

Enzyme system, fibrinolytic, in man, new approach to studies of (Cash), 424 (Annot.)

Etiological considerations, review of, in occurrence of primary pulmonary hypertension in twins (Czarnecki, Rosenbaum, and Wachtel), 240

Exercise electorcardiography and hypoxemia, comparison of, in coronary artery disease (Kassebaum, Sutherland, and Judkins),

Exertion, strenuous, at high altitudes, dynamic electrocardiography with (Politte, Almond, and Logue), 570 (Annot.)

Experimental streptokinase-treated myocardial infarction, failure of safflower oil hyperlipemia to inhibit limitation of size of (Burckhardt, Vera, and LaDue), 777 Extracardiac pneumatic ventricular assistor, intra-

thoracic (Almond, Elefson, and Hoffer), 567 (Annot.)

Extracellular volume in patients with chronic renal disease treated for hypertension by sodium restriction (Blumberg), 717 (Annot.)

Extracorporeal perfusion, prolonged partial (Lefemine, Fosberg, and Harken), 531

Facial appearance, abnormal, mental retardation,

Facial appearance, abnormal, mental retardation, and supravalvular pulmonic stenosis, (Härtel, Frick, and Halonen), 540
Fallot, tetralogy of, intermittent normalization of right ventricular hypertrophy pattern in (Neuman, Yahini, and Neufeld), 97
venous return with knee-chest position and squatting in (Guntheroth et al.), 313
Femoropopliteal and aortolilac endarterectomy for obliterative atherosclerosis, current tech-

obliterative atherosclerosis, current tech-

nique of, 721 (B. Rev.

Fever, Q, endocarditis (Grist), 846 (Annot.)
Fibrillation, atrial, value of direct current conversion of (Scott and Pantridge), 579
ventricular, cardiac necrosis, and acute hypotension, interrelations of (Barrera et al.), 421 (Annot.)

persistent, propranolol in, complicating acute myocardial infarction (Ikram), 795
Fibrinolytic enzyme system in man, new approach

to studies of (Cash) 424 (Annot.)

Fibroelastosis, endocardial, hemodynamic findings in children with (McLoughlin, Schiebler and Krovetz), 162

Filtration rates, individual glomerular, in renovascular hypertension (Schacht and Conway), 714 (Annot.)

Fistulas, coronary artery, classification of (Schechter), 281 (Annot.)

Foreleg positions, significance of, in interpretation of electrocardiograms and vectorcardiograms from research animals (Hill), 518

Furosemide and ethacrynic acid (Laragh), 564

Gerontological research, advances in, 433 (B. Rev.) Glomerular filtration rates, individual, in renovascular hypertension (Schacht and Conway), 714 (Annot.)

Guanethidine, case of complete A-V block produced by (Griffiths), 371

## H

Heart block, advanced, cardiac pacing in manage-

ment of, during acute myocardial infarction (Peretz), 845 (Annot.)
non-surgical complete, associated with aortic stenosis: importance of correct diagnosis (Partain and Sydnor), 180

and chest, international conference, transactions of, 284 (B. Rev.) disease and Coxsackie virus infections (Brown),

145

ischemic, prevention of, principles and practice, 851 (B. Rev.) rheumatic, basal diastolic murmurs. intra-

cardiac phonocardiography and cineangiography (Runco et al.), 153 and coronary, 284 (B. Rev.)

Heart disease-Cont'd

valvular, surgical treatment of, I, criteria for operability in rheumatic heart disease (Reppert), 838

valve homograft persistence, transplanted, cause of (Hirsch and Hanke), 568 (Annot.) Hemodynamic diagnosis of tricuspid insufficiency,

problems in (Cairns et al.), 173 findings in children with endocardial fibroelastosis (McLoughlin, Schiebler, and Krovetz), 162

Homograft persistence, transplanted heart valve, cause of (Hirsch and Hanke), 568 (Annot.)

Horizontal plane, ST-T loop in, programmed vec-torcardiography (Castellanos, Lemberg, and Salhanick), 260

Hyperlipemia, safflower oil, failure of, to inhibit limitation of size of experimental streptokinase-treated myocardial infarction (Burckhardt, Vera, and LaDue), 777

Hypertension, experimental, pulmonary edema induced by renal extracts originating from rats with (Omae et al.), 76

ry, primary, occurrence of, in twins, with review of etiological considerations (Czarnecki, Rosenbaum, and Wachtel), pulmonary, 240

renal arterial (Brest), 696

renovascular, individual glomerular filtration rates in (Schacht and Conway), 714 (Annot.)

extracellular volume in patients with chronic renal disease, treated for, by sodium restriction (Blumberg), 717 (Annot.) Hypertensive encephalopathy (Finnerty), 559

and normal dogs, regional differences in magnesium, calcium, and zinc composition of arterial wall in (Burckhardt, Mata, and Llaurado), 784

vascular disease, diagnosis and treatment 720 (B. Rev.)

Hypertrophied and normal human right ventricle, activation of (Wallace et al.), 728

Hypertrophy, cardiac, coronary-artery enlargement experimental (Kerr, Bommer, and Pilato), 144 (Annot.)

pattern, right ventricular, intermittent normalization of, in tetralogy of Fallot (Neuman, Yahini, and Neufeld), 97

ventricular, left, point-score system for ECG diagnosis of (Romhilt and Estes), 752 Hypolipidemic agent, appraisal of clofibrate as (Sachs), 707

Hypotension, acute, ventricular fibrillation, and cardiac necrosis, interrelations of (Barrera et al.), 421 (Annot.)

and bradycardia syndrome, treatment of, in patients with acute myocardial infarction (Shillingford and Thomas), 843 (Annot.)

Hypotensive drug diazoxide, some effects of, on cardiovascular system (Nayler et al.), 223

Hypoxemia and exercise electrocardiography, comparison of, in coronary artery disease (Kassebaum, Sutherland, and Judkins), 759

Index, Macruz, in healthy newborn and infant (Walsh), 459

Infant, healthy newborn, diastolic murmur in (Walsh), 582

and newborn, healthy, Macruz index in (Walsh), 459

spatial QRS curves of (Ainger), 19
Infarction, acute myocardial, "polarizing" solutions in patients with (Fletcher, Hurst, and Schlant), 319

cardiac pacing in management of advanced heart block during (Peretz), 845 (Annot.) in patients, treatment of bradycardia and hypotension syndrome (Shillingford and Thomas), 843 (Annot.)
propranolol in persistent ventricular fibrillation occupiling for the complication of the complication

tion complicating (Ikram), 795 myocardial, arrhythmias after (Stock), 435

occurrence of normal electrocardiogram after (Burns-Cox), 572 (Annot.)

unsuspected, in diabetics, new quantitative vectorcardiographic criteria for detec-tion of (Selveser et al.), 335 ctions, Coxsackie virus, and heart disease

Infections, Coxsackie (Brown), 145

Intermittent "cooing" diastolic murmur due to torn aortic valve cusp (Fletcher and Hurst), 537

International chest and heart conference, transactions of, 284 (B. Rev.)

Intrathoracic extracardiac pneumatic ventricular assistor (Almond, Elefson, and Hoffer), 567 (Annot.)

Intravenous antibiotics, long-term administration of, in endocarditis (Wharton), 844 (Annot.)

Ischemic heart disease, prevention of, principles and practice, 851 (B. Rev.)

Isoproterenol and norepinephrine, comparison of, in experimental coronary shock (Fearon),

Kidney transplantation, ethics for use of live donors in (McGeown), 711 (Annot.) ultrastructure of, 720 (B. Rev.)

Knee-chest position and squatting in tetralogy of Fallot, venous return with (Guntheroth et al.), 313

Left ventricular hypertrophy, point-score system for ECG diagnosis of (Romhilt and Estes), 752

volume in man, use of single plane angiocardio-grams for calculation of (Sandler and Dodge), 325 Letters to Editor, 575, 719, 850

Limb bones, lower, blood supply of, in man, 851 (B. Rev.)

administration of intravenous anti-biotics in endocarditis (Wharton), 844 Long-term (Annot.)

Lung disease, chronic, limitations of indicator dilution methods in estimation of car-diac output in (Oriol, Anthonisen, and McGregor), 589

Lymph circulation, experimental and clinical study on (Seki et al.), 620

M

Macruz index in healthy newborn and infant (Walsh), 459

Magnesium, calcium, and zinc composition, regional differences in, of arterial wall in normal and hypertensive dogs (Fischer, Mata, and Llaurado), 784

Master two-step test (Master), 809

Mathematical model, electrical conductivity method for estimating right ventricular output and (Maronde et al.), 66

Medical and physiological considerations in use of artificial cardiac pacing, Parts I and II (McNally and Benchimol), 380, 679

Mental retardation, supravalvular pulmonic ste-nosis, and abnormal facial appearance (Härtel, Frick, and Halonen), 540 Metabolic alkalosis, effect of, on digitalis toxicity (Warren et al.), 358

Micronodular phlebosclerosis (Payan and Gilbert), 428 (Annot.)

Mitral regurgitation, severe, reflux of oxygenated blood into pulmonary artery in (Tato-oles et al.), 102

valve disease, acquired, surgery for, 284 (B. Rev.) prolapse of posterior leaflet: chromosome studies in three sisters (Stannard and Ringo), 282 (Annot.)

replacement, cardiac function following (Hultgren, Hubis, and Shumway), 302

valvuloplasty, closed, effect of age and other factors on early and late results follow-ing (Ellis, Benson, and Harken), 743 of preoperative systemic blood pressure on (Benson, Ellis, and Harken), 439

Murmurs, diastolic, basal, in rheumatic heart disease: intracardiac phonocardiography and cineangiography (Runco et al.), 153

in healthy newborn infant (Walsh), 582

innocent, 433 (B. Rev.) intermittent "cooing," diastolic, due to torn aortic valve cusp (Fletcher and Hurst), 537

Myocardial damage and catecholamines in scorpion sting (Gueron and Weizman), (Annot.)

infarction, acute, cardiac pacing in management of advanced heart block during (Peretz), 845 (Annot.)

in patients, treatment of bradycardia and hypotension syndrome (Shillingford and Thomas), 843 (Annot.) "polarizing" solutions in patients with (Fletcher, Hurst, and Schlant), 319

propranolol in persistent ventricular fibrillation complicating (Ikram), 795

arrhythmias after (Stock), 435 occurrence of normal electrocardiogram after

(Burns-Cox), 572 (Annot.) streptokinase-treated, experimental, failure of safflower oil hyperlipemia to inhibit limitation of size of (Burckhardt, Vera, and LaDue), 777

unsuspected, in diabetics, new quantitative vectorcardiographic criteria for detection of (Selvester et al.), 335

potassium balance, oxygen consumption, and performance, influence of calcium on (Gilmore et al.), 215

Necrosis, cardiac, acute hypotension, and ven-tricular fibrillation, interrelations of (Barrera et al.), 421 (Annot.)

Nephritis, viral (Burch and Sun), 1

Newborn infant, healthy, diastolic murmur in (Walsh), 582

Macruz index in (Walsh), 459 spatial QRS curves of (Ainger), 19

Node, atrioventricular and sinoauricular, origin of blood supply (Romhilt, Hackel, and Estes), 279 (Annot.) Norepinephrine and isoproterenol, comparison of, in experimental coronary shock (Fearon), 634

Normalization of right ventricular hypertrophy pattern in tetralogy of Fallot (Neuman, Yahini, and Neufeld), 97

Orthogonal electrocardiogram, corrected, in normal children (Gamboa and White), 449

Output, cardiac, in chronic lung disease, limitations of indicator dilution methods in estimation of (Oriol, Anthonisen, and Mc Gregor), 589

Oxygen consumption, performance, and myo-cardial potassium balance, influence of calcium on (Gilmore et al.), 215

Oxygenated blood, reflux of, into pulmonary artery in severe mitral regurgitation (Tatooles et al.), 102

Pacemaker vectorcardiography (Castellanos et al.),

Pacing, cardiac, artificial, medical and physiological considerations in use of, Parts I and II (McNally and Benchimol), 380, 679

in management of advanced heart block during acute myocardial infarction (Peretz), 845 (Annot.)

Papillary muscle dysfunction, syndrome of (Burch, DePasquale, and Phillips), 399

Penicillins and cephalosporins, allergenic factors in (Stewart), 429 (Annot.)

Perfusion, prolonged partial extracorporeal (Lefemine, Fosberg, and Harken), 531
Pericarditis, constrictive, after acute Coxsackie viral pericarditis (Howard and Maier),

247

and chronic, 851 (B. Rev.)

Persistence, transplanted heart valve homograft, cause of (Hirsch and Hanke), 568 (An-

Phenolsulfonphthalein, place of, in measurement of renal function (Gault and Dossetor), 723 Phenoxybenzamine and chlorpromazine, use of,

in treatment of cardiogenic shock, IV (Dietzman and Lillehei), 136

Phlebosclerosis, micronodular (Payan and Gilbert), 428 (Annot.)

Phonocardiography, intracardiac, and cineangiog-raphy: basal diastolic murmurs in rheumatic heart disease (Runco et al.), 153

Phosphate, inorganic, infusion, effect of, upon digitalis-induced arrhythmias in dogs (Burckhardt and LaDue), 364

Physical bases of circulatory transport: regulation and exchange, 432 (B. Rev.)

Physiological and medical considerations in use of artificial cardiac pacing, Parts I and II (McNally and Benchimol), 380, 679

Physiology, cardiovascular, 721 (B. Rev.) Plasma volume, burns, and shock regulation, 720 (B. Rev.)

Plethysmography, clinical, of forefoot in arterio-sclerosis obliterans, 720 (B. Rev.) Pneumatic ventricular assistor, intrathoracic extra-cardiac (Almond, Elefson, and Hoffer),

567 (Annot.)

Point-score system for ECG diagnosis of left ventricular hypertrophy (Romhilt and Estes), 752

"Polarizing" solutions in patients with acute myocardial infarction (Fletcher, Hurst, and Schlant), 319

Positions, foreleg, significance of, in interpretation of electrocardiograms and vectorcardiograms from research animals (Hill), 518

Potassium, myocardial balance, oxygen consump-tion, and performance, influence of calcium on (Gilmore et al.), 215

Potential, action, electrical alternans of components of (Kleinfeld and Stein), 528 Precapillary blood flow, bronchopulmonary, during

cardiopulmonary bypass (Deal et al.), 43 Pressure, right ventricular, in pulmonic stenosis from sponge vectorcardiogram and electrocardiogram, prediction of (Witham, Rainey, and Edmonds), 186

and volume, increased, on endocardial structure in hearts with atrial septal defect, different effects of (Okada, Glagov, and

Lev), 474

Procaine amide and diphenylhydantoin, contrasting effects of, on A-V conduction in digitalisintoxicated and normal heart (Scherlag, Helfant, and Damato), 200

Propranolol and diphenylhydantoin, effects of, on cardiovascular system (Nayler et al.), 83 in persistent ventricular fibrillation complicating acute myocardial infarction (Ikram), 795

Programmed vectorcardiography: ST-T loop in horizontal plane (Castellanos, Lemberg, and Salhanick), 260

Pulmonary artery, reflux of oxygenated blood into, in severe mitral regurgitation (Tatooles et al.), 102

edema induced by renal extracts originating from rats with experimental hypertension (Omae et al.), 76

hypertension, primary, occurrence of, in twins, with review of etiological considerations (Czarnecki, Rosenbaum, and Wachtel), 240

Pulmonic stenosis from sponge vectorcardiogram and electrocardiogram, prediction of right ventricular pressure in (Witham, Rainey, and Edmonds), 186

supravalvular, abnormal facial appearance, and mental retardation (Härtel, Frick,

and Halonen), 540

O fever endocarditis (Grist), 846 (Annot.) ORS curves of newborn infant, spatial (Ainger), 19

Radiological, electrocardiographic, and clinical changes, evolution of, following experimental atrial septal defect (Lansing), 349 Radiology, medical, encyclopedia of, 577 (B. Rev.)

Renal arterial hypertension (Brest), 696

disease, chronic, patients with, treated for hypertension by sodium restriction, extra-cellular volume in (Blumberg), 717 (Annot.)

extracts originating from rats with experimental edema inhypertension, pulmonary duced by (Omae et al.), 76

function, in measurement of, place of phenolsul-fonphthalein (Gault and Dossetor), 723

Renovascular hypertension, individual glomerular filtration rates in (Schacht and Conway), 714 (Annot.)

Research animals, significance of foreleg positions in interpretation of electrocardiograms and vectorcardiograms from (Hill), 518 gerontological, advances in, 433 (B. Rev.)

Retardation, mental, supravalvular pulmonic ste-nosis, and abnormal facial appearance (Härtel, Frick, and Halonen), 540 "Reversed coarctation," congenital cardiovascular

anomalies underlying (Chesler, Moller, and Edwards), 34

Rheumatic and coronary heart disease, 284 (B. Rev.) heart disease, basal diastolic murmurs: intra-

cardiac phonocardiography and cine-angiography (Runco et al.), 153 criteria for operability in, I, surgical treat-ment of valvular heart disease (Rep-pert), 838

Safflower oil hyperlipemia, failure of, to inhibit limitation of size of experimental streptokinase-treated myocardial infarction (Burckhardt, Vera, and LaDue), 777

sting, catecholamines and myocardial damage in (Gueron and Weizman), Scorpion 715 (Annot.)

Septal defect, atrial, different effects of increased volume and pressure on endocardial structure in hearts with (Okada, Glagov, and Lev), 474

experimental, evolution of clinical, radiologi-cal, and electrocardiographic changes following (Lansing), 349

ventricular, anatomic types of, with aortic insufficiency (Van Praagh and Mc-Namara), 604

congenital aneurysm of sinus of Valsalva associated with (Sakakibara and Konno),

Septostomy, atrial (Watson), 143 (Annot.)

Septum, intact ventricular, origin of both great vessels from right ventricle with (Davachi, Moller, and Edwards), 790

Shock, experimental coronary, comparison of nor-ephrine and isoprotered in (Fearon),

plasma volume and burns regulation, 720 (B. Rev.)

Sinoauricular and atrioventricular node, origin of blood supply (Romhilt, Hackel, and Estes), 279 (Annot.)

Sinus of Valsalva, congenital aneurysm, associated with ventricular septal defect (Sakaki-bara and Konno), 595

Sodium restriction, extracellular volume in patients with chronic renal disease treated for hypertension by (Blumberg), 717 (Annot.)

Sponge electrodes for recording vectorcardiogram of children (Witham), 291 vectorcardiogram and electrocardiogram, prediction of right ventricular pressure in pulmonic stenosis (Witham, Rainey, and Edwards) 186 and Edmonds), 186 Squatting and knee-chest position in tetralogy of

Fallot, venous return with (Guntheroth et al.), 313

Stenosis, aortic, non-surgical complete heart block associated with: importance of correct diagnosis (Partain and Sydnor), 180

pulmonic, from sponge vectorcardiogram and electrocardiogram, prediction of right ventricular pressure in (Witham, Rainey, and Edmonds), 186

Stenosis pulmonic-Cont'd

supravalvular, abnormal facial appearance, and mental retardation (Härtel, Frick, and Halonen), 540

Sting, scorpion, catecholamines and myocardial damage in (Gueron and Weizman), 715 (Annot.)

Strenuous exertion at high altitudes, dynamic elec-trocardiography with (Politte, Almond, and Logue), 570 (Annot.)

Streptokinase-treated myocardial infarction, failure of safflower oil hyperlipemia to inhibit limitation of size of (Burckhardt, Vera, and LaDue), 777

Stress, cardiovascular, electrocardiographic changes

produced by driving automobile (Simonson et al.), 125
distribution within left ventricular wall approximated as thick ellipsoidal shell (Wong and Rautaharju), 649

Structure, endocardial, in hearts with atrial septal defect, different effects of increased volume and pressure on (Okada, Glagov, and Lev), 474

ST-T loop in horizontal plane, programmed vector-cardiography (Castellanos, Lemberg, and Salhanick), 260

Supravalvular pulmonic stenosis, abnormal facial appearance, and mental retardation (Härtel, Frick, and Halonen), 540

Surgery for acquired mitral valve disease, 284 (B. Rev.)

Surgical treatment of valvular heart disease, I, criteria for operability in rheumatic heart disease (Reppert), 838

Syndrome, hypotension and bradycardia, treatment of, in patients with acute myocardial infarction (Shillingford and Thomas), 843 (Annot.)

Wolff-Parkinson-White (Okel), 673 System, point-score, for ECG diagnosis of left ven-tricular hypertrophy (Romhilt and Es-

tricular hypertrophy (Romnit and Es-tes), 752

Systemic blood pressure, preoperative, on closed mitral valvuloplasty, effect of (Benson, Ellis, and Harken), 439

Temporospatial frequency distribution of P, QRS, and T in normal man and woman (von der Groeben, Fisher, and Toole), 487

Tetralogy of Fallot, venous return with knee-chest position and squatting in (Guntheroth et al.), 313

Tissue, atrioventricular conduction, of dog (Isaacson and Boucek), 206

digitalis, effect of metabolic alkalosis (Warren et al.), 358 Toxicity,

Transplantation, kidney, ethics for use of live donors in (McGeown), 711 (Annot.)
Transplanted heart valve homograft persistence, cause of (Hirsch and Hanke), 568 (An-

not.

Tricuspid insufficiency, problems in hemodynamic diagnosis of (Cairns et al.), 173 valve, familial Ebstein's anomaly of (Donegan et al.), 375

Two-step test, Master (Master), 809

## U

Uganda, endomyocardial fibrosis (Davies' disease), II, epidemiologic, clinical, and pathologic study (Connor et al.), 107 Ultrastructure of kidney, 720 (B. Rev.)

Valsalva, sinus of, congenital aneurysm, associated with ventricular septal defect (Sakaki-Valve cusp, torn aortic, intermittent "cooing" diastolic murmur due to (Fletcher and

Hurst), 537

disease, mitral, acquired, surgery for, 284 (B. Rev.)

homograft persistence, transplanted heart, cause of (Hirsch and Hanke), 568 (Annot.) mitral, prolapse of posterior leaflet: chromosome studies in three sisters (Stannard and Rigo), 282 (Annot.)

replacement, mitral, cardiac function following (Hultgren, Hubis, and Shumway), 302 tricuspid, familial Ebstein's anomaly of (Donegan

et al.), 375

Valvular heart disease, surgical treatment of, I, criteria for operability in rheumatic heart disease (Reppert), 838

Valvuloplasty, mitral, closed, effect of age and other factors on early and late results following (Ellis, Benson, and Harken), 743

preoperative systemic blood pressure on (Benson, Ellis, and Harken), 439 beat to beat and observer, of electro-

cardiogram (Fischmann, Cosma, and Pipberger), 465

Vascular diseases, cerebral, 851 (B. Rev.) natural history of (Wallace), 285 hypertensive, diagrosis and treatment, 720

(B. Rev.) Vectorcardiogram of children, sponge electrodes for recording (Witham), 291

and electrocardiograms from research animals, significance of foreleg positions in in-terpretation of (Hill), 518

and electrocardiogram, prediction of right ventricular pressure in pulmonic stenosis (Witham, Rainey, and Ed-monds), 186

Vectorcardiographic criteria, new quantitative, for detection of unsuspected myocardial infarction in diabetics (Selvester et al.),

patterns of unusual conduction disturbance in infancy and childhood (Khoury and Fowler), 147

Vectorcardiography, clinical, 577 (B. Rev.)

pacemaker (Castellanos et al.), 6 programmed: ST-T loop in horizontal plane (Castellanos, Lemberg, and Salhanick), 260

Venous return with knee-chest position and squat-ting in tetralogy of Fallot (Guntheroth et al.), 313

strips, isolated canine, influence of bradykinin on (DePasquale and Burch), 630

Ventricle, right, human, hypertrophied, and normal, activation of (Wallace et al.), 728

of both great vessels from, intact ventricular septum (Da Moller, and Edwards), 790 (Davachi,

intrathoracic extracardiac Ventricular assistor, intrathoracic extracardiac pneumatic (Almond, Elefson, and Hoffer), 567 (Annot.)

fibrillation, cardiac necrosis, and acute hypoten-sion, interrelations of (Barrera et al.), 421 (Annot.)

persistent, propranolol in, complicating acute myocardial infarction (Ikram), hypertrophy, left, point-score system for ECG diagnosis of (Romhilt and Estes), 752

Ventricular hypertrophy-Cont'd

pattern, right, intermittent normalization of, in tetralogy of Fallot (Neuman, Yahini, and Neufeld), 97

output, right, and mathematical model, electrical conductivity method for estimating

(Maronde et al.), 66
overloading, left, or damage with ultrasonic
Doppler method, analysis of cardiac
cycle of left side of heart in cases of
(Nimura et al.), 49

right, pressure, in pulmonic stenosis from sponge vectorcardiogram and electrocardiogram, prediction of (Witham, Rainey, and Edmonds), 186

septal defect, anatomic types of, with aortic insufficiency (Van Praagh and Mc-Namara), 604

congenital aneurysm of sinus of Valsalva as-sociated with (Sakakibara and Konno), 595

septum, intact, origin of both great vessels from right ventricle with (Davachi, Moller, and Edwards), 790

and Edwards), 190
volume, left, in man, use of single plane angiocardiograms for calculation of (Sandler
and Dodge), 325
wall, left, stress distribution within, approximated as thick ellipsoidal shell (Wong

and Rautaharju), 649

Vessels, great, both, origin of, from right ventricle with intact ventricular septum (Davachi, Moller, and Edwards), 790

Viral nephritis (Burch and Sun), 1

pericarditis, acute, Coxsackie, constrictive pericarditis following (Howard and Maier),

Virus, Coxsackie, infections and heart disease (Brown), 145

Volume, extracellular, in patients with chronic renal disease treated for hypertension by sodium restriction (Blumberg), 717 (Annot.)

and pressure, increased, on endocardial structure in hearts with atrial septal defect, different effects of (Okada, Glagov, and Lev), 474

Wolff-Parkinson-White syndrome (Okel), 673

Zinc, magnesium, and calcium composition, regional differences in, of arterial wall in normal and hypertensive dogs (Fischer, Mata, and Llaurado), 784

# American Heart Journal

An international publication for the study of the circulation

GEORGE E. BURCH, M.D.

HARRY L. COLCOLOUGH, M.D. NICHOLAS P. DEPASQUALE, M.D. JOHN H. PHILLIPS, M.D. Assistant editors

1430 Tulane Avenue, New Orleans, La. 70112
The C. V. Mosby Company, 3207 Washington Blvd., St. Louis, Mo., 63103

## International editorial board

Walter H. Abelmann, Boston R. P. Ahlquist, Augusta Henry Barcroft, London D. V. Bates, Montreal Robert H. Bayley, Oklahoma City A. Benchimol, Phoenix K. Braun, Jerusalem Daniel A. Brody, Memphis Lewis T. Bullock, Los Angeles Henri Chevalier, Paris William G. Cochran, Cambridge James A. Cronvich, New Orleans Maria Victoria de la Cruz, Mexico City Luiz V. Décourt, São Paulo Arthur C. DeGraff, New York D. Durrer, Amsterdam E. E. Eddleman, Jr., Birmingham, Ala. Jesse E. Edwards, St. Paul Charles Fisch, Indianapolis Julian Frieden, New Rochelle, N.Y. Mario R. García-Palmieri, San Juan John F. Goodwin, London Arthur Grishman, New York Herbert E. Griswold, Portland, Ore. W. Proctor Harvey, Washington, D.C. Herbert N. Hultgren, Palo Alto J. Willis Hurst, Atlanta Wlodzimierz Januszewicz, Warsaw Andre Jouve, Marseille John W. Kirklin, Birmingham, Ala. P. I. Korner, Sydney

Richard Langendorf, Chicago James J. Leonard, Pittsburgh Maurice Lev, Chicago Robert L. Levy, New York Jiri Linhart, Prague Daniel S. Lukas, New York Pavel E. Lukomsky, Moscow Alan Franklin Lyon, New York Donald Mainland, New York Andrew G. Morrow, Bethesda Clifford V. Nelson, Portland, Me. Alfred Pick, Chicago Walter H. Pritchard, Cleveland Simon Rodbard, Duarte D. G. Scarpelli, Kansas City, Kan. Leonard Scherlis, Baltimore Ralph C. Scott, Cincinnati Ewald E. Selkurt, Indianapolis John T. Shepherd, Rochester, Minn. Ernst Simonson, Minneapolis Aly H. Sorour, Cairo Pierre Soulie, Paris Madison S. Spach, Durham Ole Storstein, Oslo Francesco Testoni, Rome Tatsuya Tomomatsu, Kobe, Japan Lars Werkö, Göteborg R. F. Whelan, Adelaide Ernst Wollheim, Wurzburg, Germany Paul N. Yu, Rochester, N.Y.

VOLUME 76

JULY-DECEMBER, 1968

VOLUME 76
COPYRIGHT © 1968 BY
THE C. V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

## Author index\*

ABELMANN, WALTER. (See Yankopoulos et al.), 466
ADAD, W. (See Sayegh, Adad, and Macleod), 266
ADLER, LAWRENCE N. (See Yankopoulos et al.), 466
ADOLPH, ROBERT J., HOLMES, JOHN C., AND FUKUSUMI, HIROO. Hemodynamic studies
in patients with chronically implanted

Patents with Chronically implanted pacemakers, 829.

Albright, Charles A. (See Murray et al.), 799

Alexander, E. Russell. (See Chiang et al.), 760

Anderson, R. The relation between acidosis and cardiac arrhythmias in acute myocardial infarction, 1

Arribada, Arturo, and Escobar, Ed Cardiomyopathies produced by EDGARDO. Toxo-

plasma gondii, 329 ASTRUP, TAGE. (See Glas and Astrup), 504 ATTAI, LARI A. (See Robinson, Furman, and Attai), 286, 706

AUSTEN, W. GERALD. (See Shine et al.), 728

BAHLER, ROBERT C., CARSON, PETER, AND WHITE, ROBERT J. Cardiac tamponade following external cardiac massage, 850 (Annot.)
BAILIE, MARGOT J. (See Hunt and Bailie), 340
BALANI, S. G., D'CRUZ, IVAN A., KANDOTH, W. K., AND CHAPHEKAR, P. M. Cardiac involvement in epidemic dropsy (Argemone

ment in epidemic dropsy (Argemone mexicana poisoning), 711 (Annot.)

BARRETT, A. M., AND FITZGERALD, J. D. What is a beta-blocker, 712 (Annot.)

BASTENIE, P. A. (See Vanhaelst, Neve, and Bastenie), 845 (Annot.)

BECK, W. (See Schrire, Gotsman, and Beck), 4 BEHAR, VICTOR S. (See Whalen et al.), 775 BERKOVITS, BAROUH V. (See Castellanos et al.), 199

Berson, Alan S., and Pipberger, Hubert V. Skin-electrode impedance problems in electrocardiography, 514 BJÖRK, LARS. (See Frithz, Cullhed, and Björk), 674

BLAKE, THOMAS. (See Johnson and Blake), 79
BOINEAU, JOHN P., HILL, JOHN D., SPACH, MADISON
S., AND MOORE, E. NEIL. Basis of the
electrocardiogram in right ventricular

BOYLE, D. MCC. (See Mulholland and Boyle),

291 (Annot.)

BRANDERNERS M. KIOPECH C. AND COOPER.

Brandfonbrener, M., Kjobech, C., and Cooper, E. The effect of digitalization on quinidine

toxicity, 249
BRISTOW, J. D. (See Cairns et al.), 227

BRISTOW, J. D. (See Cairins et al.), 221

BRUCE, ROBERT A. (See Chiang et al.), 760

BURCH, G. E., DEPASQUALE, N. P., AND PHILLIPS,

J. H. What death is like, 438 (Annot.)

—, PHILLIPS, J. H., AND DEPASQUALE, N. P. Cardiac causalgia, 725

. (See DePasquale, Burch, and Phillips), 419

BURDA, C. D. Electrocardiographic abnormalities induced by thioridazine (Mellaril), 153

CAIRNS, K. B., PORTER, G. A., KLOSTER, F. E., BRISTOW, J. D., AND GRISWOLD, H. E. Clinical and hemodynamic results of peritoneal dialysis for severe cardiac failure, 227

CANENT, RAMON V., LESTER, RICHARD G., SPACH,
MADISON S., SABISTON, DAVID C., HACKEL,
DONALD B., AND SALTZMAN, HERBERT. DONALD B., AND SALTZMAN, HERBERT. Clinical pathologic conference, 270 CARSON, PETER. (See Bahler, Carson, and White),

850 (Annot.)

CASTELLANOS, AGUSTIN, JR., LEMBERG, LOUIS, RODRIGUEZ-TOCKER, LILLIA, AND BER-KOVITS, BAROUH V. Atrial synchronized pacemaker arrhythmias: revisited, 199

Celermajer, John M., Bowdler, J. Denby, Gen-gos, Don C., Cohen, Douglas H., and Stuckey, Douglas S. Pulmonary valve

CHAPHEKAR, P. M. (See Balani et al.), 711 (Annot.)
CHESLER, ELLIOT, MOLLER, JAMES H., LILLEHEI,
C. WALTON, AND EDWARDS, JESSE E.
Ventricular septal defect and hypoplastic right ventricle, 259

BENJAMIN N., ALEXANDER, E. RUSSELL, BRUCE, ROBERT A., AND TING, NONG. Physical characteristics and exercise per-CHIANG, formance of pedicab and upper socioeconomic classes of middle-aged Chinese men, 760

COHEN, DOUGLAS H. (See Celermajer et al.), 452 COHEN, JACOB. Unusual gastrointestinal reaction to bishydroxycoumarin (Dicumarol), (Annot.)

COHEN, LAWRENCE S. (See Fearon et al.), 252 COHEN, MARSHA L. (See Gurewich, Cohen, and Thomas), 784

COHEN, STAFFORD I. (See Damato et al.), 769 CONRAD, L. L. (See Kalbsleisch et al.), 193

CONWAY, NEVILLE. Hemodynamic effects of ethyl alcohol in coronary heart disease, 581 (Annot.)

COOPER, E. (See Brandfonbrener, Kjobech, and Cooper), 249

Cox, A. R. (See Pitt and Cox), 242

COX, JIMMY L., McLAUGHLIN, VICTOR W., FLOWERS, NANCY C., AND HORAN, LEO G. The ischemic zone surrounding acute myo-cardial infarction, its morphology as infarction, its morphology

detected by dehydrogenase staining, 650 CROCKER, DIANE W. Marfan's syndrome confined to the mitral valve region: two cases in siblings, 538

INGEMAR. (See Frithz, Cullhed, and Björk), 674

Cumings, John N., and Marshall, John. Serum lipids and cerebrovascular disease, 584 (Annot.)

<sup>\*</sup>July, pp. 1-148; August, pp. 149-300; September, pp. 301-442; October, pp. 443-590; November, pp. 591-722; December, pp. 723-870.

D

Damato, Anthony N., Lau, Sun H., Stein, Eman-uel, Haft, Jacob I., Kosowsky, Bernard, and Cohen, Stafford I. Cardiac response to acute thermal stress (hot dry environment) in unacclimatized normal subjects, 769

DAVIDOV, MICHAEL, KAKAVIATOS, NIKOS, AND FINNERTY, FRANK A., Jr. The use of furo-semide in refractory heart failure, 143

(Annot.)

O'Cruz, Ivan A. (See Balani et al.), 711 (Annot.)
DE KONING, J. (See van Bruggen and de Koning), 526
DELMAN, ABNER J. (See Stern and Delman), 13
DEPASQUALE, N. P., BURCH, G. E., AND PHILLIPS,
J. H. The second heart sound, 419
——. (See Burch, DePasquale, and Phillips), 438

(Annot.

—. (See Burch, Phillips, and DePasquale), 725
DESANCTIS, ROMAN W., AND KASTOR, JOHN A.
Rapid intracardiac pacing for treatment of recurrent ventricular tachyarrhythmias in the absence of heart block, 168

—. (See Shine et al.), 728 Dévényi, István. (See Radó et al.), 393

DREIFUS, LEONARD S. (See Watanabe and Dreifus), 114

DUNNE, EDWARD. (See Krohn et al.), 377

EDWARDS, JESSE E. (See Chesler et al.), 259 ESCHER, DORIS J. W. (See Furman and Escher), 445 ESCOBAR, EDGARDO. (See Arribada and Escobar), 329

Evans, M. G. (See Howitt et al.), 736

Fearon, Richard E., Cohen, Lawrence S., O'-Hara, James M., and Goodyer, Allan V. N. Diastolic murmurs due to two sequelae of atherosclerotic coronary artery disease: ventricular aneurysm and coronary

GISEASE: VERITICULAR ABEUTYSM AND COTONARY
artery stenosis, 252
FEDERICI, ERNEST E. (See Yankopoulos et al.), 466
FINNERTY, FRANK A., JR. (See Davidov, Kakaviatos,
and Finnerty), 143 (Annot.)
FISCH, CHARLES, AND KNOEBEL, SUZANNE B. "Wedensky facilitation" in the human heart, 90
FITZGERALD, J. D. (See Barrett and Fitzgerald),
712 (Annot.)
FLEWING. LAMES S. The assessment of failure in

FLEMING, JAMES S. The assessment of failure in

aortic stenosis from the diastolic move-ments of the left ventricle, 235

FLOREY, C. DU V., AND KESSNER, D. M. Mortality trends for acute and chronic nephritis and infections of the kidney, 848 (Annot.)

Flowers, Nancy C. (See Cox et al.), 650
Forde, Thomas P., Yormak, Stanley S., and
Killip, Thomas, III. Reflex bradycardia and nodal escape rhythm in pheochromocytoma, 388

Franklin, William D. (See Rubler et al.), 217 FRITHZ, GÖRAN, CULLHED, INGEMAR, AND BJÖRK, LARS. Congenital localized coronary artery aneurysm without fistula, 674
FUKUSUMI, HIROO. (See Adolph, Holmes, and Fu-

kusumi), 829

FURMAN, SEYMOUR, AND ESCHER, DORIS J. W. Ventricular synchronous and demand pacing, 445

-. (See Robinson, Furman, and Attai), 286, 706

GAAL, PETER. (See Linde et al.), 356 GAFFNEY, THOMAS E. (See Mohammed et al.), 21

GALE, MORNA. (See Rifkind and Gale), 849 (Annot.) GENEST, J. The value of the angiotensin infusion test in the diagnosis of true renovascular hypertension, 443 GENGOS, DON C. (See Celermajer et al.), 452

795

GENTON, EDWARD, AND WOLF, PHILLIP S. Urokinase therapy in pulmonary thromboembolism, 628 GITLOW, STANLEY E. (See Mendlowitz et al.), 275,

GLANCY, D. LUKE, MORROW, ANDREW G., AND ROBERTS, WILLIAM C. Malformations of the aortic valve in patients with the tetralogy of Fallot, 755

Ingry of Fallot, 755
GLAS, PIA, AND ASTRUP, TAGE. Fibrinolytic and thromboplastic activity of normal human heart valves, 504
GOLDBERG, STANLEY J. (See Linde et al.), 356
GOODYER, ALLAN V. N. (See Fearon et al.), 252
GOTSMAN, M. S. (See Nellen, Gotsman, and Schrire), 295 (Annot.)

295 (Annot.)

—. (See Schrire, Gotsman, and Beck), 4

GREENBLATT, MELVIN. (See Unger, Greenblatt, and Lev), 486

GRISWOLD, H. E. (See Cairns et al.), 227

GUNNAR, ROLF. (See Krakower and Gunnar), 820

GUREWICH, VICTOR, COHEN, MARSHA L., AND THOMAS, DUNCAN P. Humoral factors in massive pulmonary embolism: an experimental study, 784

HACKEL, DONALD B. (See Canent et al.), 270
HAFT, JACOB I. (See Damato et al.), 769
HALLIDIE-SMITH, K. A. The long-term results of closure of ventricular septal defect with

pulmonary vascular disease, 591

Hamby, Robert I., and Raia, Francis. Electrocardiographic aspects of primary myocardial disease in 60 patients, 316

d — Vectorcardiographic aspects of primary myocardial disease in 50 patients,

HAMER, JOHN. Hemodynamics of hypertension, 149
HANDY, JOHN. (See Hudson et al.), 543
HANISH, HARVE. (See Krohn et al.), 377
HENDRIX, GRADY H. (See Summer and Hendrix), 812
HENENSON, IRWIN B. (See Mohammed et al.), 21
HILL, JOHN D. (See Boineau et al.), 605
HILMI, KHALDOON I., AND REGAN, TIMOTHY J.
Relative effectiveness of antiarrhythmic

Relative effectiveness of antiarrhythmic drugs in treatment of digitalis-induced

drugs in treatment of digitalis-induced ventricular tachycardia, 365
HOFFMAN, IRWIN. (See Rubler et al.), 217
HOLMES, A. M., LOGAN, W. F. W. E., AND WINTERBOTTOM, T. Transient systolic murmurs in angina pectoris, 680
HOLMES, JOHN C. (See Adolph, Holmes, and Fukusumi), 829
HORAN, LEO G. (See Cox et al.), 650
HOWITT, G., HUSAINI, M., ROWLANDS, D. J., LOGAN, W. F. W. E., SHANKS, R. G., AND EVANS, M. G. The effect of the dextro isomer of propranolol on sinus rate and cardiac propranolol on sinus rate and cardiac arrhythmias, 736

Hudson, Page, Handy, John, Mauck, H. Page, and Moon, John H. Clinical pathologic conference, 543

HUNT, DAVID, AND BAILIE, MARGOT J. Enzyme changes following direct current countershock, 340

Hurst, J. Willis. (See Silverman and Hurst), 399
Husaini, M. (See Howitt et al.), 736
Hyams, Vincent J., and Manion, William C.
Incomplete differentiation of the cardiac valves, 173

INMON, T. W. (See Langsjoen et al.), 28 INOUE, KEIZO. (See Takatsu et al.), 93 ISHIHARA, Y. (See Love et al.), 353

Januszewicz, W., Sznajderman, M., Wocial, B., and Preibisz, J. Urinary excretion of free norepinephrine and free epinephrine in patients with acute myocardial infarction in relation to its clinical course, 345

JERESATY, ROBERT M., AND LISS, JOSEPH P. Effects of brachial artery catheterization on ar-terial pulse and blood pressure in 203

patients, 481

JOHNSON, ROBERT A., AND BLAKE, THOMAS. Vasa vasorum of the heart, 79

JONES, W. B., AND REEVES, T. J. Total cardiac out-

put response during four minutes of exercise, 209

Jorgenson, Charles. (See Ross and Jorgenson), 74
Just, Hanjoerg, and Mattingly, Thomas W.
Interatrial septal defect and pericardial
disease, 157

KAKAVIATOS, NIKOS. (See Davidov, Kakaviatos, and Finnerty), 143 (Annot.)

KALBFLEISCH, J. M., SHADAKSHARAPPA, K. S., CONRAD, L. L., AND SARKAR, N. K. Disappearance of the Q-deflection following myocardial infarction, 193

KANDOTH, W. K. (See Balani et al.), 711 (Annot.) KASTOR, JOHN A. (See DeSanctis and Kastor), 168 KAWAI, CHUICHI. (See Takatsu et al.), 93

(See Yankopoulos et al.), 466

KAY, JEROME HAROLD. (See Krohn et al.), 377 KESSNER, D. M. (See Florey and Kessner), 848

(Annot.) KILLIP, THOMAS, III. (See Forde, Yormak, and

KILLIP, THOMAS, 111. (See FORUE, TUTHIAK, and Killip), 388

KJOBECH, C. (See Brandfonbrener, Kjobech, and Cooper), 249

KLOSTER, F. E. (See Cairns et al.), 227

KNOEBEL, SUZANNE B. (See Fisch and Knoebel), 90

KOSOWSKY, BERNARD. (See Damato et al.), 769

KRAKOWER, CECIL A., AND GUNNAR, ROLF. Clinical verticalizing conference, 270

pathologic conference, 820 Krasnow, Norman. Effects of norepinephrine and phenylephrine on myocardial energetics, 660 Krohn, Bernard G., Dunne, Edward, Magidson,

OSCAR, HANISH, HARVE, TSUJI, HAROLD K., REDINGTON, JOHN V., AND KAY, JEROME HAROLD. The electrical impedance cardiogram in health and disease, 377

KROVETZ, L. JEROME, SHANKLIN, DOUGLAS R., AND SCHIEBLER, GEROLD L. Serious and fatal complications of catheterization and an-giocardiography in infants and children,

KUMAR, SUDARSHAN. (See Spedick and Kumar), 70, 498

## L

LANGENDORF, RICHARD. (See Pick and Langendorf), 553

LANGSJOEN, P. H., SANCHEZ, S. A., LYNCH, D. J. AND INMON, T. W. The treatment of myocardial infarction with low molecular weight dextran, 28

Laszlo, John. (See Rosen, Schoonmaker, and Laszlo), 35 LAU, SUN H. (See Damato et al.), 769

LEACHMAN, R. D., AND PEREYO, JOSE A. Decrease in pulmonary vascular resistance following surgical closure of a ventricular septal defect associated with elevated capillary wedge pressure and severe pulmonary arterial hypertension, 816

Leatherman, Louis L. Intestinal obstruction caused by anticoagulants, 534
Lemberg, Louis. (See Castellanos et al.), 199
Lester, M., Sheffield, L. T., Trammell, P., and Reeves, T. J. The e°ect of age and athletic training on the maximal heart rate during muscular exercise, 370

LESTER, RICHARD G. (See Canent et al.), 270 LEV, MAURICE. (See Unger, Greenblatt, and Lev),

486 LILLEHEI, C. WALTON. (See Chesler et al.), 259
LINDE, LEONARD M., GOLDBERG, STANLEY J., GAAL,
PETER, MOMMA, KAZUO, TAKAHASHI, MASATO, AND SARNA, GREGORY. Pulmonary
and systemic hemodynamic effects of

and systemic hemodynamic effects of cardiac glycosides, 356

Liss, Joseph P. (See Jeresaty and Liss), 481

Liu, Chi Kong, and decreased decreased and specificity of electrocardiographic evaluation of LVH in 364 unselected autopsy cases, 596

Logan, W. F. W. E. (See Holmes, Logan, and Winterbottom), 680

— (See Howitt et al.), 736

Love, W. D., Ishihara, Y., Lyon, L. D., and Smith, R. O. Differences in the relationships between coronary blood flow and myocardial clearance of isotopes of potassium, rubiclearance of isotopes of potassium, rubi-

dium, and cesium, 353 LOVELL, H. G. (See Miall and Lovell), 290 (Annot.) LOWN, BERNARD, AND VASSAUX, CARLOS. Lidocaine in acute myocardial infarction, 586 (An-

not.) Lynch, D. J. (See Langsjoen et al.), 28 Lyon, L. D. (See Love et al.), 353

McFee, Richard, and Rush, Stanley. Qualitative effects of thoracic resistivity variations on the interpretation of electrocardiograms:

the low resistance surface layer, 49
McIntosh, Henry D. (See Whalen et al.), 775
McLaughlin, Victor W. (See Cox et al.), 650
Macleod, C. A. (See Sayegh, Adad, and Macleod), 266

MAGENHEIM, HERBERT G. (See Mohammed et al.), 21

Magidson, Oscar. (See Krohn et al.), 377
Malach, Monte. Digitalis for congestive heart
failure with heart block in acute myocardial infarction, 18

MANION, WILLIAM C. (See Hyams and Manion), 173 Marosi, Judit. (See Radó et al.), 393

MARSHALL, JOHN. (See Cumings and Marshall), 584 (Annot.)

MARUMOTO, SUSUMU. (See Sawayama et al.), 746 MATSUURA, TETSU. (See Sawayama et al.), 746 MATTINGLY, THOMAS W. (See Just and Mattingly), 157

MAUCK, H. PAGE. (See Hudson et al.), 543

Mendlowitz, Milton, Naftchi, Nosrat E., Gitlow, Stanley E., and Wolf, Robert L. Testing in hypertension, 275

nolactone on digital vascular reactivity in essential hypertension, 795

MIALL, W. E., AND LOVELL, H. G. Blood pressure and ageing, 290 (Annot.)

Mohammed, Shakil, Hanenson, Irwin B., Magenheim, Herbert G., and Gaffney, Thomas E. The effects of alpha-methyldopa on renal function in hypertensive patients, 21 Moller, James H. (See Chesler et al.), 259 Momma, Kazuo. (See Linde et al.), 356 Moon, John H. (See Hudson et al.), 543 Moore, E. Neil. (See Boineau et al.), 605 Morris, James J., Jr. (See Whalen et al.), 775 Morrow, Andrew G. (See Glancy, Morrow, and Roberts), 755 Mulholland, H. C., and Boyle, D. McC. The effect of posture on the cardiac output during the last six weeks of pregnancy, 291 (Annot.)

(Annot.)

Murray, Raymond H., Thompson, Leonard J., Bowers, John A., and Albright, Charles D. Hemodynamic effects of graded hypo-volemia and vasodepressor syncope in-duced by lower body negative pressure, 799 Mustard, J. F. The effect of clofibrate on platelets, Mustard, J. F. The e 436 (Annot.)

NAFTCHI, NOSRAT E. (See Mendlowitz et al.), 275, 795

NELLEN, MAURICE, GOTSMAN, M. S., AND SCHRIRE, V. The influence of certain drugs and of prompt squatting on the systolic murmur in hypertrophic obstructive cardiomyopathy, 295 (Annot.)
2. (See Vanhaelst, Neve, and Bastenie),

Neve, P. (See Vanh. 845 (Annot.) Niki, Isao. (See Sawayama et al.), 746

O'BRIEN, M. D. Physiological considerations in cerebrovascular disease, 699

O'HARA, JAMES M. (See Fearon et al.), 252 OPIE, LIONEL H. Metabolism of the heart in health

and disease. Part I, 685
OŠŤADAL, BOHUSLAV, RYCHTEROVÁ, VLASTA, AND
POUPA, OTAKAR. Isoproterenol-induced acute experimental cardiac necrosis in the turtle (Testudo horsfieldi), 645

PATON, DAVID M. Beta-adrenergic receptor blockade in the diagnosis of pheochromocytoma,

141 (Annot.)
PEREYO, JOSE A. (See Leachman and Pereyo), 816
PHILLIPS, J. H. (See DePasquale, Burch, and Phillips), 419

(See Burch, DePasquale, and Phillips), 438

(Annot.) —. (See Burch, Phillips, and DePasquale), 725 PICK, ALFRED, AND LANGENDORF, RICHARD. Recent advances in the differential diagnosis of A-V junctional arrhythmias, 553 PIPBERGER, HUBERT V. (See Berson and Pipberger),

514

Pitt, W. A., and Cox, A. R. The effect of the beta-adrenergic antagonist propranolol on rabbit atrial cells with the use of the ultra-

POLYAKAR. (See Ošťadal, Rychterová, and Poupa), 645 Preibisz, J. (See Januszewicz et al.), 345 Prewitt, Taylor A., Rackley, Charles E., Wil-

COX, BENSON R., SCATLIFF, JAMES H., AND YOUNG, DANIEL T. Cardiac tamponade as a late complication of open heart surgery, 139 (Annot.) R

RACKLEY, CHARLES E. (See Prewitt et al.), 139
(Annot.)
RADÓ, JÁNOS P., MAROSI, JUDIT, TAKÓ, JÓZSEF,
AND DÉVÉNYI, ISTVÁN. Hyperkalemic intermittent paralysis associated with spironolactone in a patient with cardiac cirrhosis, 393

RAIA, FRANCIS. (See Hamby and Raia), 304, 316 REDINGTON, JOHN V. (See Krohn et al.), 377 REED, GEORGE E. Surgical treatment of valvular heart disease. IV. Mitral valve surgery; in preference to prosthetic replacement, 432

REEVES, T. J. (See Jones and Reeves), 209

—. (See Lester et al.), 370
REGAN, TIMOTHY J. (See Hilmi and Regan), 365
REPPERT, EDMUND H. Surgical treatment of valvular heart disease. 11. Criteria for operability in rheumatic heart disease, 136
REEVEN BASH, AND CALE MORNA Hypolipidemia RIFKIND, BASIL, AND GALE, MORNA. Hypolipidemia in anemia, 849 (Annot.) RIISHEDE, JOHN. Cerebral apoplexy: figures and

Roberts, William C. (See Glancy, Morrow, and Roberts), 755

Robinson, George, Furman, Seymour, and Attai, Lari A. Surgical treatment of valvular heart disease. III. Surgical repair of the

neart disease. III. Surgical repair of the stenotic mitral valve, 286

---, and ----. Surgical treatment of valvular heart disease. VI. Aortic valve surgery, 706

RODRIGUEZ-TOCKER, LILLIA. (See Castellanos et

al.), 199

ROSEN. RICHARD J., SCHOONMAKER, FRED, AND LASZLO, JOHN. Treatment of idiopathic myocardial hypertrophy with thioguanosine, 35

Ross, Gordon, and Jorgensen, Charles. Effects of iproveratril and nitroglycerin in the heart and coronary circulation of dogs, 74

ROWE, R. D. (See Wasserman, Varghese, and Rowe), 638

ROWLANDS, D. J. (See Howitt et al.), 736

Rubler, Shirley, Hoffman, Irwin, Franklin, William D., and Taymor, Robert C. The T loop in right bundle branch block,

RUSH, STANLEY (See McFee and Rush), 49
RUTENBERG, HAROLD L., SCHWARTZ, HEINZ, AND
SOLOFF, LOUIS A. Norepinephrine- and
heparin-induced changes in plasma free fatty acids: a comparison between patients with ischemic heart disease and normal young adults, 183 ROVÁ, VLASTA. (See Ošťadal, Rychterová, and Poupa), 645

RYCHTEROVÁ.

Sabiston, David C. (See Canent et al.), 270 SALTZMAN, HERBERT. (See Canent et al.), 270 SANCHEZ, S. A. (See Langsjoen et al.), 28 SANDERS, CHARLES A. (See Shine et al.), 728 SARKAR, N. K. (See Kalbfleisch et al.), 193 SARNA, GREGORY. (See Linde et al.), 356

SAWAYAMA, TOSHITAMI, MARUMOTO, SUSUMU, NIKI, ISAO, AND MATSUURA, TETSU. The clinical usefulness of the amyl nitrite inhalation test in the assessment of the third and atrial heart sounds in ischemic heart disease, 746

SAYEGH, S., ADAD, W., AND MACLEOD, C. A. Multiple aneurysms of the coronary arteries, 266

SCATLIFF, JAMES H. (See Prewitt et al.), 139 (An-

not.)
Schiebler, Gerold L. (See Krovetz, Shanklin, and Schiebler), 39

Schoonmaker, Fred. (See Rosen, Schoonmaker, and Laszlo), 35
Schrire, V., Gotsman, M. S., and Beck, W. Unusual diastolic murmurs in constrictive pericarditis and constrictive endocardity. (See Nellen Gotsman, and Schrire), 295 (Annot.)

SCHWARTZ, HEINZ. (See Rutenberg, Schwartz, and Soloff), 183

SHADAKSHARAPPA, K. S. (See Kalbfleisch et al.), 193 SHAH, P. (See Susmano, Shah, and Tashima), 582 (Annot.)

SHANKLIN, DOUGLAS R. (See Krovetz, Shanklin, and Schiebler), 39

SHANKS, R. G. (See Howitt et al.), 736
SHEFFIELD, L. T. (See Lester et al.), 370
SHIMAMOTO, TAKIO. Microcirculatory aspects of atherogenesis, thrombogenesis, and anti-

atherosclerotics, 105
Shine, Kenneth I., DeSanctis, Roman W., Sanders, Charles A., and Austen, W. Gerald. Combined aortic and mitral incompetence: clinical features and surgical management, 728

SILVERMAN, MARK E., AND HURST, J. WILLIS. The mitral complex, 399

SMITH, R. O. (See Love et al.), 353

Soloff, Louis A. (See Rutenberg, Schwartz, and Soloff), 183 Spach, Madison S. (See Boineau et al.), 605

. (See Canent et al.), 270

SPENCER, FRANK COLE. Surgical treatment of valvu-lar heart disease. V. Prosthetic replacement of the mitral valve, 576 -. Surgical treatment of valvular heart disease.

VII. Prosthetic cardiac valves, 839
SPODICK, DAVID H., AND KUMAR, SUDARSHAN.
Isovolumetric contraction period of the left ventricle, 498

—, and —. Left ventricular ejection period, 70 STEIN, EMANUEL. (See Damato et al.), 769

STERN, JAKOB, AND DELMAN, ABNER J. Normal splitting of the second heart sound in significant valvular pulmonic stenosis, 13

STUCKEY, DOUGLAS S. (See Celermajer et al.), 452 SUMMER, GERALD L., AND HENDRIX, GRADY H. Surgical ligation of an anomalous left coronary artery arising from the pul-

monary artery in an adult, 812 Susmano, A., Shah, P., and Tashima, C. K. Idiopathic hypertrophic osteoarthropathy, 582 (Annot.

SZNAJDERMAN, M. (See Januszewicz et al.), 345

TAKAHASHI, MASATO. (See Linde et al.), 356 TAKATSU, TADASU, KAWAI, CHUICHI, TSUTSUMI, JIRO, AND INOUE, KEIZO. A case of idiopathic myocardiopathy with deposits of a peculiar substance in the myocardium;

diagnosis by endomyocardial biopsy, 93 Тако, József. (See Radó et al.), 393 Таянма, С. К. (See Susmano, Shah, and Tashima),

582 (Annot.)
TAYLOR, R. S. Gas endarterectomy, 436 (Annot.)
TAYMOR, ROBERT C. (See Rubler et al.), 217

THOMAS, DUNCAN P. (See Gurewich, Cohen, and Thomas), 784

THOMPSON, LEONARD J. (See Murray et al.), 799 Ting, Nong. (See Chiang et al.), 760
Tomlin, P. J. Fundal changes in cardiac arrest and

their significance, 710 (Annot.) Trammell, P. (See Lester et al.), 370

Tsuji, Harold K. (See Krohn et al.), 377 Tsutsumi, Jiro. (See Takatsu et al.), 93

## U

Unger, Paul N., Greenblatt, Melvin, and Lev, Maurice. The anatomic basis of the electrocardiographic abnormality in incomplete left bundle branch block, 486

VAN BRUGGEN, H. W., AND DE KONING, J. Pulmonic stenosis caused by a malignant tumor of

Vanhaelst, L., Neve, P., and Bastenie, P. A. Heart and coronary artery disease in hypothyroidism, 845 (Annot.)
Varghese, P. J. (See Wasserman, Varghese, and Rowe) 638

Rowe), 638

Vassaux, Carlos. (See Lown and Vassaux), 586 (Annot.)

## W

Wasserman, M. P., Varghese, P. J., and Rowe, R. D. The evolution of pulmonary arterial stenosis associated with congenital rubella, 638
WATANABE, YOSHIO, AND DREIFUS, LEONARD S.

Newer concepts in the genesis of cardiac

arrhythmias, 114 WATSON, W. C. (See Watt and Watson), 435 (Annot.)

WATT, J. KENNEDY, AND WATSON, W. C. Chronic intestinal ischemia, 435 (Annot.) Whalen, Robert E., Morris, James J., Jr., Behar, Victor S., and McIntosh, Henry D. Hemodynamic effects of beta-adrenergic blockade at controlled ventricular rates,

WHITE, ROBERT J. (See Bahler, Carson, and White, 850 (Annot.)

WILCOX, BENSON R. (See Prewitt et al.), 139 (Annot.)

WINTERBOTTOM, T. (See Holmes, Logan, and Winterbottom), 680

WOLIAL, B. (See Januszewicz et al.), 345 WOLF, PHILLIP S. (See Genton and Wolf), 628 WOLF, ROBERT E. Unusual electrocardiogram in meningococcal disease, 292 (Annot.)

WOLF, ROBERT L. (See Mendlowitz et al.), 275, 795 WOODHOUSE, S. P. Rapid determination of the area under indicator dilution curves, 714 (Annot.)

## V

Yankopoulos, Nicholas A., Kawai, Chuichi, Federici, Ernest E., Adler, Lawrence N., and Abelmann, Walter H. The hemodynamic effects of ouabain upon the diseased left ventricle, 466 STANLEY S. (See Forde, Yormak, and

YORMAK, STANLEY S. (See Forde, Yormak, and Killip), 388 YOUNG, DANIEL T. (See Prewitt et al.), 139 (Annot.)

# Subject index\*

Acidosis, metabolic, and cardiac arrhythmias, relation between, in acute myocardial infarction (Anderson), 1

Adrenergic, beta-, antagonist propranolol, effect of, on rabbit atrial cells with ultramicroelectrode technique (Pitt and Cox), 242 blockade, hemodynamic effects of, at controlled

ventricular rates (Whalen et al.), 775 receptor blockade in diagnosis of pheochromo-

cytoma (Paton), 141 (Annot.)
Age and athletic training on maximal heart rate during muscular exercise, effect of (Lester et al.), 370 Ageing and

blood pressure (Miall and Lovell), 290 (Annot.) Alcohol, ethyl, in coronary heart disease, hemody-

namic effects of (Conway), 581 (Annot.) Alpha-methyldopa, effects of, on renal function in hypertensive patients (Mohammed et al.), 21

Amyl nitrite inhalation test in assessment of third and atrial heart sounds in ischemic heart disease (Sawayama et al.), 746

ephrine, and prompt squatting, in-fluence of, on systolic murmur in hyperphenylephrine, trophic obstructive cardiomyopathy Nellen, Gotsman, and Schrire), 295 (Annot.)

Anemia, hypolipidemia in (Rifkind and Gale), 849 (Annot.)

Aneurysm(s), coronary artery, congenital localized, without fistula (Frithz, Cullhed, and Björk), 674

multiple, of coronary arteries (Sayegh, Adad, and Macleod), 266
ventricular, and coronary artery stenosis: di-

astolic murmurs due to two sequelae of atherosclerotic coronary artery disease (Fearon et al.), 252

Angina pectoris, transient systolic murmurs in (Holmes, Logan, and Winterbottom), 680

Angiocardiography and catheterization, serious and fatal complications of, in infants and children (Krovetz, Shanklin, and Schiebler), 39

Angiotensin infusion test, value of, in diagnosis of true renovascular hypertension (Genest), 443

Announcements, 148, 300, 442, 590, 722

Antiarrhythmic drugs in treatment of digitalisinduced ventricular tachycardia (Hilmi and Regan), 365

Antiatherosclerotics, atherogenesis, and thrombo-genesis, microcirculatory aspects of (Shimamoto), 105

Anticoagulants, intestinal obstruction caused by (Leatherman), 534

Aortic and mitral incompetence: clinical features and surgical management (Shine et al.), 728

stenosis, failure in, from diastolic movements of left ventricle (Fleming), 235

Aortic-Cont'd

valve lesions, II, surgical treatment of valvular heart disease (Reppert), 136

malformations of, in patients with tetralogy of Fallot (Glancy, Morrow, and Rob-

erts), 755 y, VI, surgical treatment of valvular heart disease (Robinson, Furman, and surgery, Attai), 706

Apoplexy, cerebral (Riishede), 301

Argemone mexicana poisoning, cardiac involve-ment in epidemic dropsy (Balani et al.), 711 (Annot.)

Arrest, cardiac, fundal changes in, and their sig-nificance (Tomlin), 710 (Annot.) Arrhythmias, atrial synchronized pacemaker (Castellanos et al.), 199

A-V junctional, recent advances in differential diagnosis of (Pick and Langendorf), 553 cardiac, and metabolic acidosis, relation between, in acute myocardial infarction (Ander-

son), 1 newer concepts of genesis of (Watanabe and Dreifus), 114

and sinus rate, effect of dextro isomer of propranolol on (Howitt et al.), 736

Arterial hypertension, severe pulmonary, and elevated capillary wedge pressure, with surgical closure of ventricular septal defect, followed by decrease in pul-monary vascular resistance (Leachman and Pereyo), 816

pulse and blood pressure in 203 patients, effects of brachial artery catheterization on (Jeresaty and Liss), 481

stenosis, pulmonary, evolution of, associated with congenital rubella (Wasserman, Varg-hese, and Rowe), 638

Artery, brachial, catheterization, effects of, on arterial pulse and blood pressure in 203

patients (Jeresaty and Liss), 481 coronary, aneurysm, congenital localized, without fistula (Frithz, Cullhed, and Björk), 674 anomalous left, arising from pulmonary artery in adult, surgical ligation of (Summer and Hendrix), 812

atherosclerotic, disease of, diastolic murmurs due to two sequelae of: ventricular aneurysm and coronary artery stenosis (Fearon et al.), 252

and heart disease in hypothyroidism (Vanhaelst, Neve, and Bastenie), (Annot.)

multiple aneurysms of (Sayegh, Adad, and Macleod), 266

Atherogenesis, thrombogenesis, and antiatherosclerotics, microcirculatory aspects of

(Shimamoto), 105 Atherosclerotic coronary artery disease, diastolic murmurs due to two sequelae of: ven-

Athletic training and age, effect of, on maximal heart rate during muscular exercise (Lester et al.), 370

<sup>\*</sup>July, pp. 1-148; August, pp. 149-300; September, pp. 301-442; October, pp. 443-590; November, pp. 591-722; December, pp. 723-870.

Atrial cells of rabbit, effect of beta-adrenergic antagonist propranolol on, with ultra-microelectrode technique (Pitt and Cox), 242

synchronized pacemaker arrhythmias (Castellanos et al.), 199

and third heart sounds in ischemic heart disease, amyl nitrite inhalation test in assessment of (Sawayama et al.), 746

A-V junctional arrhythmias, recent advances in differential diagnosis of (Pick and Langendorf), 553

Beta-adrenergic antagonist propranolol, effect of, on rabbit atrial cells with ultramicro-electrode technique (Pitt and Cox), 242

blockade, hemodynamic effects of, at controlled ventricular rates (Whalen et al.), 775 receptor blockade in diagnosis of phenochromo-cytoma (Paton), 141 (Annot.)

blocker, what is a (Barrett and Fitzgerald), 712 (Annot.)

Biopsy, endomyocardial, diagnosis by; case of idiopathic myocardiopathy with deposits of peculiar substance in myocardium (Takatsu et al.), 93

Bishydroxycoumarin (Dicumarol), unusual gastro-intestinal reaction to (Cohen), 144 (Annot.)

Block, heart, absence of, recurrent ventricular tachyarrhythmias in, treatment by rapid intracardiac pacing (DeSanctis

and Kastor), 168 in acute myocardial infarction, digitalis for congestive heart failure with (Malach),

incomplete left bundle branch, anatomic basis of electrocardiographic abnormality in

(Unger, Greenblatt, and Lev), 486
right bundle branch, T loop in; vectorcardiographic study of 82 cases (Rubler et al.),
217

Blockade, beta-adrenergic, hemodynamic effects of, at controlled ventricular rates (Whalen et al.), 775

receptor, in diagnosis of pheochromocytoma (Paton), 141 (Annot.)

Blocker, beta-, what is a (Barrett and Fitzgerald), 712 (Annot.)

Blood flow, coronary, and myocardial clearance of isotopes of potassium, rubidium, and cesium, differences in relationships between (Love et al.), 353

pressure and ageing (Miall and Lovell), 290 (Annot.)

and arterial pulse in 203 patients, effects of brachial artery catheterization on (Jeresaty and Liss), 481

Body surface potentials and ventricular depolarization, relationship between, in dogs with spontaneous RVH, contrasted with normal dogs (Boineau et al.), 605
Book reviews, 146, 298, 440, 588, 720, 854

Brachial artery catheterization, effects of, on arterial pulse and blood pressure in 203 patients (Jeresaty and Liss), 481

Bradycardia, reflex, and nodal escape rhythm in pheochromocytoma (Forde, Yormak, and Killip), 388

Branch block, incomplete left bundle, anatomic basis of electrocardiographic abnormality

in (Unger, Greenblatt, and Lev), 486
right bundle, T loop in; vectorcardiographic
study of 82 cases (Rubler et al.), 217
Bundle branch block, incomplete left, anatomic
basis of electrocardiographic abnormality in (Unger, Greenblatt, and Lev), 486

Bundle-Cont'd

right, T loop in; vectorcardiographic study of 82 cases (Rubler et al.), 217

Capillary wedge pressure, elevated, and severe pulwedge pressure, elevated, and severe par-monary arterial hypertension, with surgical closure of ventricular septal defect, followed by decrease in pul-monary vascular resistance (Leachman

and Pereyo), 816
Cardiac arrest, fundal changes in, and their significance (Tomlin), 710 (Annot.)
arrhythmias and metabolic acidosis, relation be-

tween, in acute myocardial infarction

(Anderson), 1 newer concepts of genesis of (Watanabe and Dreifus), 114

and sinus rate, effect of dextro isomer of propranolol on (Howitt et al.), 736

causalgia (Burch, Phillips, and DePasquale), 725 cirrhosis, hyperkalemic intermittent paralysis associated with spironolactone in patient with (Radó et al.), 393 failure, severe, clinical and hemodynamic results

of peritoneal dialysis for (Cairns et al.),

glycosides, pulmonary and systemic effects of (Linde et al.), 356

involvement in epidemic dropsy (Argemone mexicana poisoning) (Balani et al.), 711 (Annot.)

necrosis in turtle, induced by isoproterenol (Oštadal, Rychterová, and Poupa), 645 output during last six weeks of pregnancy, effect of posture on (Mulholland and Boyle), 291 (Annot.)

response during four minutes of exercise (Jones and Reeves), 209

tamponade following external cardiac massage (Bahler, Carson, and White), 850 (An-

as late complication of open heart surgery (Prewitt et al.), 139 (Annot.)

valves, incomplete differentiation of; report of 197 cases (Hyams and Manion), 173 prosthetic, VII, surgical treatment of valvular heart disease (Spencer), 839
Cardiogram, electrical impedance (Krohn et al.), 377

Cardiomyopathy, hypertrophic obstructive, fluence of amyl nitrite, phenylephrine, and prompt squatting on systolic murmur in (Nellen, Gotsman, and Schrire), 295 (Annot.) produced by Toxoplasma gondii (Arribada and

Escobar), 329

Cardiovascular response to acute thermal stress (hot dry environment) in unacclimatized normal subjects (Damato et al.), 769

Catheterization and angiocardiography, serious and fatal complications of, in infants and children (Krovetz, Shanklin, and Schiebler), 39

brachial artery, effects of, on arterial pulse and blood pressure in 203 patients (Jeresaty

and Liss), 481
Causalgia, cardiac (Burch, Phillips, and DePasquale), 725
Cerebral apoplexy (Riishede), 301

Cerebrovascular disease, physiological considera-tions in (O'Brien), 699 and serum lipids (Cumings and Marshall), 584 (Annot.)

Cesium, potassium, and rubidium, differences in relationships between coronary blood flow and myocardial clearance of isotopes of (Love et al.), 353

Children and infants, serious and fatal complica-tions of catheterization and angio-

cardiography in (Krovetz, Shanklin, and Schiebler), 39

Circulation, coronary and heart, of dogs, effects of iproveratril and nitroglycerin in (Ross

cirrhosis, cardiac, hyperkalemic intermittent paralysis associated with spironolactone in patients with (Radó et al.), 393
Clinical pathologic conference (Canent et al.), 270

(Hudson et al.), 543 (Krakower and Gunnar), 820

Clofibrate, effect of, on platelets (Mustard), 436

(Annot.)

Closed valvuloplasty and repair, IV, surgical treat-ment of valvular heart disease (Reed), 432

Closure, surgical, of ventricular septal defect associated with elevated capillary wedge pressure and severe pulmonary arterial hypertension, decrease in pulmonary vascular resistance following (Leachman and Pereyo), 816

Congenital localized coronary artery aneurysm without fistula (Frithz, Cullhed, and Björk), 674

rubella, evolution of pulmonary arterial stenosis associated with (Wasserman, Varghese, and Rowe), 638

Congestive heart failure with heart block in acute (Malach), 18 digitalis for

Contraction period, isovolumetric, of left ventricle (Spodick and Kumar), 498

artery aneurysm, congenital localized, Coronary without fistula (Frithz, Cullhed, and Björk), 674

anomalous lett, arising from pulmonary artery in adult, surgical ligation of (Summer and Hendrix), 812

disease, atherosclerotic, diastolic murmurs due to two sequelae of: ventricular aneurysm and coronary artery stenosis (Fearon et al.), 252

and heart disease in hypothyroidism (Van-haelst, Neve, and Bastenie), 845 (Annot.)

multiple aneurysms of (Sayegh, Adad, and

Macleod), 266 blood flow and myocardial clearance of isotopes of potassium, rubidium, and cesium, differences in relationships between (Love et al.), 353

and heart circulation of dogs, effects of iproveratril and nitroglycerin in (Ross and Jorgensen), 74

heart disease, hemodynamic effects of ethyl alcohol in (Conway), 581 (Annot.)

study of risk factors for, comparing physical characteristics and exercise performance of pedicab and upper socioeconomic classes of middle-aged Chinese men (Chiang et al.), 760

Countershock, direct current, enzyme changes following (Hunt and Bailie), 340

Curves, indicator dilution, rapid determination of area under (Woodhouse), 714 (Annot.)

Death, what it is like (Burch, DePasquale, and Phillips), 438 (Annot.)

Dehydrogenase staining used to detect ischemic zone surrounding acute infarction (Cox et al.), 650 myocardial

Demand and synchronous pacing, (Furman and Escher), 445 ventricular Depolarization, ventricular, and body surface po-tentials, relationship between, in dogs with spontaneous RVH, contrasted with normal dogs (Boineau et al.), 605

Dextran, low molecular weight, treatment of myo-cardial infarction with (Langsjoen et al.), 28

Dextro isomer of propranolol, effect of, on sinus rate and cardiac arrhythmias (Howitt et al.), 736

Dialysis, peritoneal, hemodynamic and clinical results of, for severe cardiac failure (Cairns et al.), 227 Diastolic movements of left ventricle, failure in

aortic stenosis from (Fleming), 235 murmurs due to two sequelae of atherosclerotic

coronary artery disease: ventricular aneurysm and coronary artery stenosis (Fearon et al.), 252

unusual, in constrictive pericarditis and con-strictive endocarditis (Schrire, Gotsman, and Beck), 4

Dicumarol (bishydroxycoumarin), unusual gastro-intestinal reaction to (Cohen), 144 (Annot.)

Digital vascular reactivity in essential hyperten-sion, effect of spironolactone on (Mendlowitz et al.), 795

Digitalis for congestive heart failure with heart block in acute myocardial infarction (Malach), 18

induced ventricular tachycardia, antiarrhythmic drugs in treatment of (Hilmi and Regan), 365

Digitalization, effect of, on quinidine toxicity (Brandfonbrener, Kjobech, and Cooper), 249

Dilution curves, indicator, rapid determination of area under (Woodhouse), 714 (Annot.) Direct current countershock, enzyme changes fol-

lowing (Hunt and Bailie), 340
Dogs, effect of iproveratril and nitroglycerin in the heart and coronary circulation of (Ross and Jorgensen), 74

with spontaneous RVH contrasted with normal dogs, study of relationship between ventricular depolarization and body surface potentials in (Boineau et al.),

Dropsy, epidemic, cardiac involvement in (Balani et al.), 711 (Annot.)

Ejection period, left ventricular (Spodick and Kumar), 70

Electrical impedance cardiogram (Krohn et al.), 377 Electrocardiogram(s), qualitative effects of thoracic resistivity variations on interpretation of: low resistance surface layer (McFee and Rush), 49

in right ventricular hypertrophy (Boineau et al.), 605

unusual, in meningococcal disease (Wolf), 293 (Annot.)

Electrocardiographic abnormalities in incomplete left bundle branch block, anatomic basis of (Unger, Greenblatt, and Lev), 486 induced by thioridazine (Mellaril) (Burda), 153 aspects of primary myocardial disease in 60 pa-

tients (Hamby and Raia), 316 data, variability of, recorded with orthogonal leads (Borun), 62

evaluation of LVH in 364 unselected autopsy cases (Liu and DeCristofaro), 596 Electrocardiography, skin-electrode impedance problems in (Berson and Pipberger), 514

Embolism, massive pulmonary, humoral factors in (Gurewich, Cohen, and Thomas), 784

Endarterectomy, gas (Taylor), 436 (Annot.)

Endocarditis, constrictive, and constrictive peri-carditis, unusual diastolic murmurs in (Schrire, Gotsman, and Beck), 4

Endomyocardial biopsy, diagnosis by; case of idiopathic myocardiopathy with deposits of peculiar substance in myocardium (Takatsu et al.), 93

Enzyme changes following direct current counter-shock (Hunt and Bailie), 340

Epinephrine, free, and free norepinephrine in patients with acute myocardial infarction, urinary excretion of (Januszewicz et al.), 345

Ethyl alcohol in coronary heart disease, hemody-namic effects of (Conway), 581 (Annot.) Exercise, four minutes of, cardiac output response during (Jones and Reeves), 209

muscular, effect of age and athletic training on maximal heart rate during (Lester et

al.), 370

performance and physical characteristics of pedicab and upper socioeconomic classes of middle-aged Chinese men, comparative study of risk factors for coronary heart disease (Chiang et al.), 760

Failure in aortic stenosis from diastolic movements

of left ventricle (Fleming), 235 heart, congestive, with heart block in acute myo-cardial infarction, digitalis for (Malach),

refractory, ory, use of furosemide in (Davidov, Kakaviatos, and Finnerty), 143 (Annot.) severe cardiac, clinical and hemodynamic results of peritoneal dialysis for (Cairns et al.), 227

Fallot, tetralogy of, malformations of aortic valve in patients with (Glancy, Morrow, and

Roberts), 755

Fatty acids, plasma free, changes in, induced by norepinephrine and heparin: comparison between patients with ischemic heart disease and normal young adults (Rutenberg, Schwartz, and Soloff), 183

Fibrinolytic and thromboplastic activity of normal human heart valves (Glas and Astrup), 504

Fistula, congenital localized coronary artery aneu-rysm without (Frithz, Cullhed, and

Björk), 674
Furosemide, use of, in refractory heart failure (Davidov, Kakaviatos, and Finnerty), 143 (Annot.)

Fusion, pulmonary valve, with intact ventricular septum (Celermajer et al.), 452

Gas endarterectomy (Taylor), 436 (Annot.) Gastrointestinal reaction, unusual, to bishydroxy-coumarin (Dicumarol) (Cohen), 144 (Annot.)

effects of (Linde et al.), 356 Glycosides, and systemic,

Gondii, Toxoplasma, cardiomyopathies produced by (Arribada and Escobar), 329

## H

Heart block, absence of, recurrent ventricular tachyarrhythmias in, treatment by rapid intracardiac pacing (DeSanctis and Kastor), 168

in acute myocardial infarction, digitalis for congestive heart failure with (Malach), 18 and coronary artery disease in hypothyroidism (Vanhaelst, Neve, and Bastenie), 845 (Annot.)

Heart-Cont'd

circulation of dogs, effects of iproveratril and nitroglycerin in (Ross and Jorgensen),

disease, coronary, hemodynamic effects of ethyl alcohol in (Conway), 581 (Annot.)

study of risk factors for, comparing physical characteristics and exercise perform-ance of pedicab and upper socioeconomic classes of middle-aged Chinese men (Chiang et al.), 760

ischemic, comparison between patients with and normal young adults: norepinephrine- and heparin-induced changes in plasma free fatty acids (Rutenberg, Schwartz, and Soloff), 183

valvular, surgical treatment of, II, criteria for operability in rheumatic heart disease (Reppert), 136 III, surgical repair of stenotic mitral

valve (Robinson, Furman, and Attai),

IV, mitral valve surgery, closed valvulo-plasty and repair (Reed), 432

prosthetic replacement of mitral valve (Spencer), 576 VI, aortic valve surgery (Robinson, Fur-

man, and Attai), 706 II, prosthetic cardiac valves (Spencer), 839

failure, refractory, use of furosemide in (Davidov, Kakaviatos, and Finnerty), 143 (Annot.)

"Wedensky facilitation" in (Fisch and Knoebel), 90 human,

metabolism of, in health and disease, I (Opie), 685

rate, maximal, during muscular exercise, effect of age and athletic training on (Lester et al.), 370 sound, second (DePasquale, Burch, and Phillips),

419

normal splitting of, in significant valvular pulmonic stenosis (Stern and Delman),

third and atrial, in ischemic heart disease, amyl nitrite inhalation test in assessment of (Sawayama et al.), 746

valves, normal human, fibrinolytic and thromboplastic activity of (Glas and Astrup), 504

vasa vasorum of (Johnson and Blake), 79 Heat, acute thermal stress, cardiovascular response to, in unacclimatized normal subjects (Damato et al.), 769 Hemodynamic and clinical results of peritoneal

dialysis for severe cardiac failure (Cairns et al.), 227

effects of beta-adrenergic blockade at controlled ventricular rates (Whalen et al.), 775 of ethyl alcohol in coronary heart disease (Conway), 581 (Annot.)

graded hypovolemia and vasodepressor syncope induced by lower body negative pressure (Murray et al.), 799

of ouabain upon diseased left ventricle (Yankopoulos et al.), 466

pulmonary and systemic, of cardiac glycosides (Linde et al.), 356

studies in patients with chronically implanted pacemakers (Adolph, Holmes, Fukusumi), 829

Hemodynamics of hypertension (Hamer), Heparin and norepinephrine-induced changes in plasma free fatty acids: comparison between patients with ischemic heart disease and normal young adults (Rutenberg, Schwartz, and Soloff), 183

Humoral factors in massive pulmonary embolism (Gurewich, Cohen, and Thomas), 784 Hyperkalemic intermittent paralysis associated with spironolactone in patient with cardiac cirrhosis (Radó et al.), 393

Hypertension, essential, effect of, spironolactone on digital vascular reactivity in (Mendlo-

witz et al.), 795 hemodynamics of (Hamer), 149 severe pulmonary arterial, and elevated capillary

wedge pressure, associated with surgical closure of ventricular septal defect, followed by decrease in pulmonary vascular re Pereyo), 816 resistance (Leachman and

testing in (Mendlowitz et al.), 275

true renovascular, value of angiotensin infusion test in diagnosis of (Genest), 443

Hypertensive patients, effects of alpha-methyldopa on renal function in (Mohammed et

al.), 21

Hypertrophic obstructive cardiomyopathy, influence of amyl nitrite, phenylephrine
fluence of amyl nitrite, phenylephrine and prompt squatting on systolic murmur in (Nellen, Gotsman, and Schrire), 295 (Annot.)

osteoarthropathy, idiopathic, Touraine-Solente-Gole syndrome (Susmano, Shah, and

Tashima), 582 (Annot.)

Hypertrophy, idiopathic myocardial, treatment of, with thioguanosine (Rosen, Schoon-maker, and Laszlo), 35

left ventricular, electrocardiographic evaluation of, in 364 unselected autopsy cases (Liu and DeCristofaro), 596

right ventricular, electrocardiogram in (Boineau et al.), 605

Hypolipidemia in anemia (Rifkind and Gale), 849

(Annot.) Hypothyroidism, heart and coronary artery disease in (Vanhaelst, Neve, and Bastenie), 845 (Annot.)

Hypovolemia and vasodepressor syncope, hemo-dynamic effects of, induced by lower body negative pressure (Murray et al.), 799

Hypoplastic right ventricle and ventricular septal defect (Chesler et al.), 259

Idiopathic hypertrophic osteoarthropathy, Tou-

raine-Solente-Gole syndrome (Susmano, Shah, and Tashima), 582 (Annot.) myocardial hypertrophy, treatment of, with thioguanosine (Rosen, Schoonmaker, and Laszlo), 35

myocardiopathy, case of, with deposits of pe-culiar substance in myocardium; diagnosis by endomyocardial biopsy (Takatsu et al.), 93

Impedance cardiogram, electrical (Krohn et al.), 377

problems, skin-electrode, in electrocardiography (Berson and Pipberger), 514 Indicator dilution curves, rapid determination of

area under (Woodhouse), 714 (Annot.) Infants and children, serious and fatal complica-tions of catheterization and angio-cardiography in (Krovetz, Shanklin, and Schiebler), 39

Infarction, myocardial, acute, digitalis for conges-tive heart failure with heart block (Malach), 18

ischemic zone surrounding, its morphology as detected by dehydrogenase staining (Cox et al.), 650 lidocaine in (Lown and Vassaux), 586 (An-

not.)

Infarction-Cont'd

relation between metabolic acidosis and cardiac arrhythmias (Anderson), 1 urinary excretion of free norepinephrine and free epinephrine in patients with (Janus-

zewicz et al.), 345
disappearance of Q-deflection following (Kalbfleisch et al.), 193
treatment of, with low molecular weight dex-

tran (Langsjoen et al.), 28

Inhalation test, amyl nitrite, in assessment of third and atrial heart sounds in ischemic heart disease (Sawayama et al.), 746
Interatrial septal defect and pericardial disease (Just and Mattingly), 157
Intestinal ischemia, chronic (Watt and Watson),

435 (Annot.) obstruction caused by anticoagulants (Leatherman), 534

Intracardiac pacing, rapid, for treatment of recurrent ventricular tachyarrhythmias in absence of heart block (DeSanctis and Kastor), 168

Iproveratril and nitroglycerin, effects of, in heart and coronary circulation in dogs (Ross and Jorgensen), 74

Ischemia, chronic intestinal (Watt and Watson), 435 (Annot.)

Ischemic heart disease, comparison between pa-tients with and normal young adults: norepinephrine- and heparin-induced changes in plasma free fatty acids (Rutenberg, Schwartz, and Soloff), 183 third and atrial heart sounds in, amyl nitrite

inhalation test in assessment of (Sawayama et al.), 746

zone surrounding acute myocardial infarction, its morphology as detected by dehydro-genase staining (Cox et al.), 650

Isomer, dextro, of propranolol, effect on sinus rate and cardiac arrhythmias (Howitt et al.), 736

Isoproterenol-induced acute experimental cardiac necrosis in turtle (Ostadal, Rychterová, and Poupa), 645

Isotopes of potassium, rubidium, and cesium, dif-ferences in relationships between coro-nary blood flow and myocardial clear-ance of (Love et al.), 353

Isovolumetric contraction period of left ventricle (Spodick and Kumar), 498

Junctional arrhythmias, A-V, recent advances in differential diagnosis of (Pick and Langendorf), 553

Kidney infections and acute and chronic nephritis, mortality trends for (Florey and Kessner), 848 (Annot.)

Leads, orthogonal, variability of electrocardio-graphic data recorded with (Borun), 62 Left bundle branch block, incomplete, anatomic basis of electrocardiographic abnorbasis of electrocardiographic abnor-mality in (Unger, Greenblatt, and Lev),

486 coronary artery, anomalous, arising from pulmonary artery in adult, surgical liga-tion of (Summer and Hendrix), 812

, diseased, hemodynamic effects of ouabain upon (Yankopoulos et al.), 466 ventricle, isovolumetric contraction period of (Spodick and Kumar), 498

ventricular ejection period (Spodick and Kumar),

Left ventricular-Cont'd

hypertrophy, electrocardiographic evaluation of, in 364 unselected autopsy cases (Liu and DeCristofaro), 596

Lesions, aortic valve, II, surgical treatment of valvular heart disease (Reppert), 136 Letters to the Editor, 145, 297, 716, 852

Lidocaine in acute myocardial infarction (Lown and

Vassaux), 586 (Annot.) Ligation, surgical, of anomalous left coronary artery arising from pulmonary artery in adult (Summer and Hendrix),

Lipids, serum, and cerebrovascular disease (Cumings and Marshall), 584 (Annot.)

Lower body negative pressure, hypovolemia and vasodepressor syncope induced by (Murray et al.), 799

## M

Malignant tumor of heart, pulmonic stenosis caused by; case report (van Bruggen and de Koning), 526

Marfan's syndrome confined to mitral valve region: two cases in siblings (Crocker), 538 Massage, external cardiac, followed by cardiac tamponade (Bahler, Carson, and White), 850 (Annot.)

Mellaril (thioridazine), electrocardiographic ab-normalities induced by (Burda), 153 Meningococcal disease, unusual electrocardiogram in (Wolf), 293 (Annot.)

Metabolic acidosis and cardiac arrhythmias, relation between, in acute myocardial infarction (Anderson), 1

Metabolism of heart in health and disease, I (Opie), 685

Methyldopa, alpha-, effects of, on renal function in hypertensive patients (Mohammed et al.), 21

Microcirculatory aspects of atherogenesis, thrombogenesis, and antiatherosclerotics (Shimamoto), 105

Mitral and aortic incompetence: clinical features and surgical management (Shine et al.), 728

complex (Silverman and Hurst), 399

valve, prosthetic replacement of, V, surgical treatment of valvular heart disease (Spencer), 576
region, Marfan's syndrome confined to: two
cases in siblings (Crocker), 538

stenotic, surgical repair of, III, surgical treat-ment of valvular heart disease (Robin-son, Furman, and Attai), 286

surgery, closed valvuloplasty and repair, IV, surgical treatment of valvular heart disease (Reed), 432

Molecular weight dextran, low, treatment of myocardial infarction with (Langsjoen et al.), 28

Mortality trends for acute and chronic nephritis and infections of the kidney (Florey and Kessner), 848 (Annot.)

Murmurs, diastolic, due to two sequelae of athero-sclerotic coronary artery disease: ven-tricular aneurysm and coronary artery stenosis (Fearon et al.), 252

unusual, in constrictive pericarditis and con-strictive endocarditis (Schrire, Gotsman, and Beck), 4

systolic, in hypertrophic obstructive cardiomyopathy, influence of amyl nitrite, phenylephrine, and prompt squatting (Nellen, Gotsman, and Schrire), (Annot.)

transient. in angina pectoris (Holmes, Logan, and Winterbottom), 680

Myocardial clearance of isotopes of potassium, rubidium, and cesium and coronary blood flow, differences in relationships between (Love et al.), 353

disease, primary, electrocardiographic aspects of, in 60 patients (Hamby and Raia), 316 vectorcardiographic aspects of, in 50 patients (Hamby and Raia), 304

energetics, effects of norephinephrine and phenylephrine on (Krasnow), 660

hypertrophy, idiopathic, treatment of, with thioguanosine (Rosen, Schoonmaker, and Laszlo), 35

infarction, acute, digitalis for congestive heart failure with heart block in (Malach), 18 ischemic zone surrounding, its morphology as detected by dehydrogenase staining (Cox et al.), 650

lidocaine in (Lown and Vassaux), 586 (Annot.) relation between metabolic acidosis and cardiac arrhythmias (Anderson), 1

urinary excretion of free norepinephrine and free epinephrine in patients with (Januszewicz et al.), 345

disappearance of Q-deflection following (Kalb-fleisch et al.), 193

treatment of, with low molecular weight dextran (Langsjoen et al.), 28 Myocardiopathy, idiopathic, case of, with deposits

of peculiar substance in myocardium; diagnosis by endomyocardial biopsy (Takatsu et al.), 93

Necrosis, cardiac, in turtle, induced by isoproterenol (Ošťadal, Rychterová, and Poupa), 645 Negative pressure, lower body, hypovolemia and vasodepressor syncope induced by (Murray et al.), 799

Nephritis, acute and chronic, and infections of the kidney, mortality trends for (Florey and Kessner), 848 (Annot.)

Nitroglycerin and iproveratril, effects of, in heart and coronary circulation of dogs (Ross and Jorgensen), 74

Nodal escape rhythm and reflex bradycardia in pheochromocytoma (Forde, Yormak, and Killip), 388

Norepinephrine, free, and free epinephrine in pa-tients with acute myocardial infarction, urinary excretion of (Januszewicz et al.), 345 and heparin-induced changes in plasma free fatty

acids: comparison between patients with ischemic heart disease and normal young adults (Rutenberg, Schwartz, and Soloff), 183

and phenylephrine, effects of, on myocardial energetics (Krasnow), 660

0

Open heart surgery, cardiac tamponade as late complication of (Prewitt et al.), 139 Annot.)

Orthogonal leads, variability of electrocardiographic data recorded with (Borun), 62

Osteoarthropathy, idiopathic hypertrophic, Tour-aine-Solente-Gole syndrome (Susmano, Shah, and Tashima), 582 (Annot.)

Ouabain, hemodynamic effects of, upon diseased left

Output, cardiac, during four minutes of exercise (Jones and Reeves), 209
during last six weeks of pregnancy, effect of posture on (Mulholland and Boyle), 291 (Annot.)

Pacemaker(s) arrhythmias, atrial synchronized (Castellanos et al.), 199

Pacemaker(s)-Cont'd

chronically implanted, hemodynamic studies in patients with (Adolph, Holmes, and Fukusumi), 829

Pacing, rapid, intracardiac, for treatment of recurrent ventricular tachyarrhythmias in absence of heart block (DeSanctis and

Kastor), 168
ventricular synchronous and demand (Furman and Escher), 445
Paralysis, hyperkalemic intermittent, associated

with spironolactone in patients with cardiac cirrhosis (Radó et al.), 393

Pectoris, angina, transient systolic murmurs in (Holmes, Logan, and Winterbottom), 680

Pericardial disease and interatrial septal defect (Just and Mattingly), 157 Pericarditis, constrictive, and constrictive endo-

carditis, unusual diastolic murmurs in

(Schrire, Gotsman, and Beck), 4
Peritoneal dialysis, clinical and hemodynamic results of, for severe cardiac failure (Cairns et al.), 227

Phenylephrine, amyl nitrite, and prompt squatting, influence of, on systolic murmur in hypertrophic obstructive cardiomyopathy (Nellen, Gotsman, and Schrire), 295 (Annot.)

and norephinephrine, effects of, on myocardial energetics (Krasnow), 660 Pheochromocytoma, beta-adrenergic receptor blockade in diagnosis of (Paton), 141 (Annot.)

reflex bradycardia and nodal escape rhythm in

(Forde, Yormak, and Killip), 388 Physical characteristics and exercise performance of pedicab and upper socioeconomic classes of middle-aged Chinese men, compara-tive study of risk factors for coronary heart disease (Chiang et al.), 760

Plasma free fatty acids, changes in, induced by norephinephrine and heparin: comparison between patients with ischemic heart disease and normal young adults (Rutenberg, Schwartz, and Soloff), 183

Platelets, effect of clofibrate on (Mustard), 436 (Annot.)

Poisoning, Argemone mexicana, cardiac involvement in epidemic dropsy (Balani et al.), 711 (Annot.)

Posture, effect of, on cardiac output during last six weeks of pregnancy (Mulholland and Boyle), 291 (Annot.)

Potassium, rubidium, and cesium, differences in relationships between coronary blood flow, and myocardial clearance of isotopes of (Love et al.), 353

Pregnancy, effect of posture on cardiac output during last six weeks of (Mulholland and Boyle), 291 (Annot.)

Pressure, blood, and ageing (Miall and Lovell), 290 (Annot.)

lower body negative, hypovolemia and vasode-pressor syncope induced by (Murray et al.), 799 wedge, elevated capillary, and severe pulmonary arterial hypertension, associated with surgical closure of ventricular septal defect, followed by decrease in pul-monary vascular resistance (Leachman and Perevo), 816 and Pereyo), 816

Propranolol, beta-adrenergic antagonist, effect of, on rabbit atrial cells with ultramicro-electrode technique (Pitt and Cox), 242

dextro isomer of, effect on sinus rate and cardiac arrhythmias (Howitt et al.), 736

Prosthetic cardiac valves, VII, surgical treatment of valvular heart disease (Spencer), 839 replacement of mitral valve, V, surgical treatment of valvular heart disease (Spencer), 576

Pulmonary arterial stenosis, evolution of, associated with congenital rubella (Wasserman, Varghese, and Rowe), 638 artery in adult, surgical ligation of anomalous

left coronary artery arising from (Sum-mer and Hendrix), 812 embolism, massive, humoral factors in (Gure-

wich, Cohen, and Thomas), 784 and systemic hemodynamic effects of cardiac

glycosides (Linde et al.), 356

thromboembolism, urokinase therapy in (Genton and Wolf), 628 valve fusion with intact ventricular septum (Celermajer et al.), 452

vascular disease with ventricular septal defect, long-term results of closure of (Hallidie-Smith), 591

resistance, decrease in, following surgical closure of ventricular septal defect associated with elevated capillary wedge pressure and severe pulmonary arterial hypertension (Leachman and Pereyo), 816

Pulmonic stenosis caused by malignant tumor of heart; case report (van Bruggen and de Koning), 526

significant valvular, normal splitting of second heart sound in (Stern and Delman), 13 Pulse, arterial, and blood pressure in 203 patients, effects of brachial artery catheterization on (Jeresaty and Liss), 481

Q

Q-deflection, n, disappearance of, following myo-cardial infarction (Kalbfleisch et al.), 193

Quinidine toxicity, effect of digitalization on (Brandfonbrener, Kjobech, and Cooper), 249

Rabbit atrial cells, effect of beta-adrenergic antagonist propranolol on, with ultra-microelectrode technique (Pitt and Cox),

Receptor blockade, beta-adrenergic, in diagnosis of pheochromocytoma (Paton), 141 (An-

Refractory heart failure, use of furosemide in (Davidov, Kakaviatos, and Finnerty), 143 (Annot.)

Renal function in hypertensive patients, effects of alpha-methyldopa on (Mohammed et al.), 21

Renovascular hypertension, true, value of angio-tensin infusion test in diagnosis of (Genest), 443

Resistance, pulmonary vascular, decrease in, following surgical closure of ventricular septal defect associated with elevated capillary wedge pressure and severe pulmonary arterial hypertension (Leachman and Pereyo), 816

Resistivity variations, thoracic, qualitative effects of, on interpretation of electrocardiograms: low resistance surface layer (Mc-Fee and Rush), 49

Rheumatic heart disease, criteria for operability, II, surgical treatment of valvular heart

Right bundle branch block, T loop in, vectorcardiographic study of 82 cases (Rubler et al.), 217
ventricular hypertrophy, electrocardiogram in (Boineau et al.), 605

Rubella, congenital, evolution of pulmonary arterial stenosis associated with (Wasserman, Varghese, and Rowe), 638

Rubidium, potassium, and cesium, differences in relationships between coronary blood flow and myocardial clearance of isotopes of (Love et al.), 353

Second heart sound (DePasquale, Burch, and Phillips), 419

normal splitting of, in significant valvular pulmonic stenosis (Stern and Delman),

Septal defect interatrial, and pericardial disease (Just and Mattingly), 157 ventricular, and hypoplastic right ventricle (Chesler et al.), 259 with elevated capillary wedge pressure and

severe pulmonary hypertension, decrease in pulmonary vascular resistance following surgical closure of (Leachman

and Pereyo), 816
with pulmonary vascular disease, long-term
results of closure of (Hallidie-Smith),

Septum, intact ventricular, pulmonary valve fusion with (Celermajer et al.), 452

Serum lipids and cerebrovascular disease (Cumings and Marshall), 584 (Annot.)

Sinus rate and cardiac arrhythmias, effect of dextro isomer of propranolol on (Howitt et al.),

Skin-electrode impedance problems in electrocardiography (Berson and Pipberger), 514

heart, second (DePasquale, Burch, and Sound(s),

Phillips), 419
normal splitting of, in significant valvular
pulmonic stenosis (Stern and Delman),
13

third and atrial, in ischemic heart disease, amyl nitrite inhalation test in assessment of (Sawayama et al.), 746

Spironolactone associated with hyperkalemic intermittent paralysis in patient with cardiac cirrhosis (Radó et al.), 393 effect of, on digital vascular reactivity in essential

hypertension (Mendlowitz et al.), 795 Splitting, normal, of second heart sound in significant valvular pulmonic stenosis (Stern and Delman), 13

Squatting, prompt, amyl nitrite, and phenylephrine, influence of, on systolic murmur in hypertrophic obstructive cardiomyopathy (Nellen, Gotsman, and Schrire), 295 (Annot.)

Staining, dehydrogenase, used to detect ischemic zone surrounding acute myocardial in-farction (Cox et al.), 650

Stenosis, aortic, failure in, from diastolic move-

ments of left ventricle (Fleming), 235 artery, and ventricular aneurysm: diastolic murmurs due to two sequelae coronary of atherosclerotic coronary artery disease (Fearon et al.), 252

pulmonary arterial, evolution of, associated with congenital rubella (Wasserman, Var-ghese, and Rowe), 638

pulmonic, caused by malignant tumor of heart; case report (van Bruggen and de Koning), 526

significant valvular, normal splitting of second heart sound in (Stern and Delman), 13 Stenotic mitral valve, surgical repair of, III, surgi-

cal treatment of valvular heart disease

(Robinson, Furman, and Attai), 286

thoracic resistivity variations on interpretation of electrocardiograms (Mc-Fee and Rush), 49

Surface layer, low resistance: qualitative effects of

Surgery, open heart, cardiac tamponade as late complication of (Prewitt et al.), 139 (Annot.)

Surgical closure of ventricular septal defect associ-ated with elevated capillary wedge pressure and severe pulmonary arterial hypertension, decrease in pulmonary vascular resistance following (Leach-man and Pereyo), 816 ligation of anomalous left coronary artery arising

from pulmonary artery in adult (Sum-

mer and Hendrix), 812 treatment of valvular heart disease, II, criteria for operability in rheumatic heart dis-ease (Reppert), 136

(Robinson, Furman, and Attai), 286
IV, mitral valve surgery, closed valvulo-plasty and repair (Reed), 432

prosthetic replacement of mitral valve (Spencer), 576

VI, aortic valve surgery (Robinson, Furman, and Attai), 706 II, prosthetic cardiac valves (Spencer), 839

Synchronized atrial pacemaker arrhythmias (Castel-

lanos et al.), 199
Synchronous and demand pacing, ventricular (Furman and Escher), 445

Syncope, vasodepressor, and hypovolemia, hemo-dynamic effects of, induced by lower body negative pressure (Murray et al.), 799

Systemic and pulmonary hemodynamic effects of cardiac glycosides (Linde et al.), 356
Systolic murmurs in hypertrophic obstructive nurnurs in hypertrophic obstactive cardiomyopathy, influence of amyl ni-trite, phenylephrine, and prompt squat-ting on (Nellen, Gotsman, and Schrire),

295 (Annot.) transient, in angina pectoris (Holmes, Logan, and Winterbottom), 680

T loop in right bundle branch block, vectorcardiographic study of 82 cases (Rubler et al.),

Tachyarrhythmias, ventricular, recurrent, in ab-sence of heart block, treatment by rapid intracardiac pacing (DeSanctis

rapid intracardiac pacing (Desanctis and Kastor), 168
Tachycardia, digitalis-induced ventricular, anti-arrhythmic drugs in treatment of (Hilmi and Regan), 365
Tamponade, cardiac, following external cardiac massage (Bahler, Carson, and White), 250 (Apport.) 850 (Annot.)

as late complication of open heart surgery (Prewitt et al.), 139 (Annot.)

Test, amyl nitrite inhalation, in assessment of third and atrial heart sounds in ischemic heart disease (Sawayama et al.), 746

Tetralogy of Fallot, malformations of aortic valve in patients with (Glancy, Morrow, and Roberts), 755

Thermal stress (hot dry environment), cardiovascular response to, in unacclimatized normal subjects (Damato et al.), 769

Thioguanosine, treatment of idiopathic myocardial hypertrophy with (Rosen, Schoonmaker, and Laszlo), 35

Thioridazine (Mellaril), electrocardiographic abnormalities induced by (Burda), 153 Third and atrial heart sounds in ischemic heart disease, amyl nitrite inhalation test in assessment of (Sawayama et al.), 746

Thoracic resistivity variations, qualitative effects of, on interpretation of electrocardiograms: low resistance surface layer grams: low resistance surface layer (McFee and Rush), 49

Thromboembolism, pulmonary, urokinase therapy in (Genton and Wolf), 628

Thrombogenesis, antiatherosclerotics, and atherogenesis, microcirculatory aspects of (Shimamoto), 105

Thromboplastic and fibrinolytic activity of normal human heart valves (Glas and Astrup),

Touraine-Solente-Gole syndrome, idiopathic hyper-Solente-Gole Syndrome, Idopathic hyper-trophic osteoarthropathy (Susmano, Shah, and Tashima), 582 (Annot.) quinidine, effect of digitalization on (Brandfonbrener, Kjobech, and Cooper),

Toxicity, 249

Toxoplasma gondii, cardiomyopathies produced by (Arribada and Escobar), 329

Tumor, malignant, of heart, pulmonic stenosis caused by; case report (van Bruggen and de Koning), 526

Turtle, acute experimental cardiac necrosis in, induced by isoproterenol (Ošťadal, Rychterová, and Poupa), 645

Ultramicroelectrode technique, effect of beta-adrenergic antagonist propranolo! on rabbit atrial cells with (Pitt and Cox),

Urinary excretion of free norepinephrine and free epinephrine in patients with acute myo-cardial infarction (Januszewicz et al.),

Urokinase therapy in pulmonary thromboembolism (Genton and Wolf), 628

Valve(s), aortic, malformations of, in patients with tetralogy of Fallot (Glancy, Morrow, and Roberts), 755
cardiac, incomplete d'fferentiation of; report of 197 cases (Hyams and Manion), 173
fusion, pulmonary, with intact ventricular septum (Celermajer et al.), 452
mitral Marfan's syndrome confined to region of:

(Celermajer et al.), 452
mitral, Marfan's syndrome confined to region of:
two cases in siblings (Crocker), 538
normal human heart, fibrinolytic and thromboplast'c activity of (Glas and Astrup), 504
Valvular heart disease, surgical treatment of, II,
criteria for operability in rheumatic
heart disease (Reppert), 136
III, surgical repair of stenotic mitral valve
(Robinson, Furman, and Attai), 286
IV, mitral valve surgery, closed valvuloplasty and repair (Reed), 432
V, prosthetic replacement of mitral valve

, prosthetic replacement of mitral valve (Spencer), 576

VI, aortic valve surgery (Robinson, Furman, and Attai), 706 VII, prosthetic cardiac valves (Spencer), 839

pulmonic stenosis, significant, normal splitting of second heart sound in (Stern and Delman), 13

Valvuloplasty, closed, and repair, IV, surgical treat-ment of valvular heart disease (Reed),

Vasa vasorum of heart (Johnson and Blake), 79

Vascular disease, pulmonary, with ventricular septal defect, long-term results of closure of (Hallidie-Smith), 591

reactivity, digital, in essential hypertension, effect of spironolactone on (Mendlowitz et al.), 795

resistance, pulmonary, decrease in, following surgical closure of ventricular septal defect associated with elevated capillary wedge pressure and severe pulmonary arterial hypertension (Leachman and Pereyo), 816

Vasodepressor syncope and hypovolemia, hemodynamic effects of, induced by lower body negative pressure (Murray et al.), 799

Vasorum, vasa, of heart (Johnson and Blake), 79 Vectorcardiographic aspects of primary myocardial disease in 50 patients (Hamby and Raia), 304

Ventricle, diseased left, hemodynamic effects of ouabain upon (Yankopoulos et al.), 466 hypoplastic right, and ventricular septal defect (Chesler et al.), 259

left, diastolic movements of, failure in aortic stenosis from (Fleming), 235

isovolumetric contraction period of (Spodick and Kumar), 498

Ventricular aneurysm and coronary artery stenosis: diastolic murmurs due to two sequelae of atherosclerotic coronary artery disease (Fearon et al.), 252

ease (Fearon et al.), 252
hypertrophy, left, electrocardiographic evaluation
of, in 364 unselected autopsy cases
(Liu and DeCristofaro), 596
right, electrocardiogram in; relationship between ventricular depolarization and
body surface potentials in dogs with
spontaneous RVH contrasted with normal dogs (Boineau et al.), 605
left, ejection period (Spodick and Kumar). 70

left, ejection period (Spodick and Kumar), 70 rates, controlled, study of hemodynamic effects of beta-adrenergic blockade at (Whalen et al.), 775

septal defect and hypoplastic right ventricle (Chesler et al.), 259

with elevated capillary wedge pressure and severe pulmonary hypertension, decrease in pulmonary vascular resistance following surgical closure of (Leachman and Pereyo), 816

with pulmonary vascular disease, long-term results of closure of (Hallidie-Smith), 591

septum, intact, pulmonary fusion 'with (Celer-majer et al.), 452

synchronous and demand pacing (Furman and Escher), 445

tachyarrhythmias, recurrent, in absence of heart block, treatment by rapid intracardiac pacing (DeSanctis and Kastor), 168

tachycardia, digitalis-induced, antiarrhythmic drugs in treatment of (Hilmi and Regan),

"Wedensky facilitation" in human heart (Fisch and Knoebel), 90

Wedge pressure, elevated capillary, and severe pulmonary arterial hypertension, associated with surgical closure of ventricular septal defect, followed by decrease in pulmonary vascular resistance (Leachman and Pereyo), 816

